NOTICES OF PROPOSED RULEMAKING

Unless exempted by A.R.S. § 41-1995, each agency shall begin the rulemaking process by 1st filing a Notice of Proposed Rulemaking, containing the preamble and the full text of the rules, with the Secretary of State's Office. The Secretary of State shall publish the notice along with the Preamble and the full text in the next available issue of the Arizona Administrative Register.

Under the Administrative Procedure Act (A.R.S. § 41-1001 et seq.), an agency must allow at least 30 days to elapse after the publication of the Notice of Proposed Rulemaking in the Register before beginning any proceedings for adoption, amendment, or repeal of any rule. A.R.S. §§ 41-1013 and 41-1022.

NOTICE OF PROPOSED RULEMAKING

TITLE 9. HEALTH SERVICES

CHAPTER 14. DEPARTMENT OF HEALTH SERVICES LABORATORIES

PREAMBLE

1.	Section Affected	Rulemaking Action
	R9-14-601	Amend
	R9-14-602	Amend
	R9-14-603	Amend
	R9-14-604	Renumber
	R9-14-604	New Section
	R9-14-605	Renumber
	R9-14-605	Amend
	R9-14-606	Renumber
	R9-14-606	Amend
	R9-14-607	Renumber
	R9-14-607	Amend
	R9-14-608	Renumber
	R9-14-608	Amend
	R9-14-609	Renumber
	R9-14-609	Amend
	R9-14-610	Renumber
	R9-14-610	Amend
	R9-14-611	Renumber
	R9-14-611	Amend
	R9-14-612	Renumber
	R9-14-612	Amend
	R9-14-613	Renumber
	R9-14-613	Amend
	R9-14-614	Renumber
	R9-14-614	Amend
	R9-14-615	Renumber
	R9-14-615	Amend
	R9-14-616	Renumber
	R9-14-616	Amend
	R9-14-617	Renumber
	R9-14-617	Amend
	R9-14-618	Renumber
	R9-14-618	Amend

2. The specific authority for the rulemaking, including both the authorizing statute (general) and the statutes the rules are implementing (specific):

Authorizing statutes: A.R.S. § 36-136(A)(7) and 36-136(F)

Implementing statutes: A.R.S. § 36-495.01(B) and 36-495.13(A)

Notices of Proposed Rulemaking

The name and address of agency personnel with whom persons may communicate regarding the rule:

Name:

Steven D. Baker, Program Manager

Address:

Department of Health Services

Office of Laboratory Licensure, Certification, and Training

3443 North Central Avenue # 810

Phoenix, Arizona 85012

Telephone:

(602) 255-3454

Fax:

(602) 255-3462

An explanation of the rule, including the agency's reasons for initiating the rule:

The rules pertain to the licensure of environmental laboratories which conduct testing of samples for state and federal compliance purposes. The rules provide for minimum standards of proficiency, methodology, quality assurance, operation, and safety for environmental laboratories.

Rules are being amended to add clarifications, make corrections, and update methodologies to the current rule.

A showing of good cause why the rule is necessary to promote a statewide interest if the rule will diminish a previous grant authority of a political subdivision of this state:

Not applicable.

The preliminary summary of the economic, small business, and consumer impact:

The small chemistry laboratories will see a decrease in the application fee, while the larger laboratories will see no change in application fee. Laboratories that convert from the older methods to the newer methods which involve the same technology, will experience little to no changes in the methods fees. Laboratories which expand testing into newer technologies, will see some change in the methods fees, however, this would be the case under the current rule also.

The economic impact on the consumer, would be minimal or none, however the consumer would be able to request the newer methods required for compliance testing.

7. The name and address of agency personnel with whom persons may communicate regarding the accuracy of the economic, small business, and consumer impact statement:

Name:

Steven D. Baker, Program Manager

Address:

Department of Health Services

Office of Laboratory Licensure, Certification, and Training

3443 North Central Ave. # 810 Phoenix, Arizona 85012

Telephone:

(602) 255-3454

Fax:

(602) 255-3462

8. The time, place, and nature of the proceedings for the adoption, amendment, or repeal of the rule or, if no proceeding is scheduled, where, when, and how persons may request an oral proceeding on the proposed rule.

Date:

December 17, 1996

December 18, 1996

Time:

10 a.m.

1 p.m.

10 a.m.

Location:

ADHS

Tucson State Complex 400 North Congress

Coconino County Dept. Health Services 2500 North Fort Valley Rd.

December 16, 1996

1740 West Adams 3rd. Fl., Room 309

400 North Bldg, Room 131

Flagstaff, Arizona

Phoenix, Arizona

Tucson, Arizona

Nature:

Public Meetings

Written comments may be submitted until the close of records, December 18, 1996, at 5:00 p.m., to:

Name:

Steven D. Baker, Program Manager

Address:

Department of Health Services

Office of Laboratory Licensure, Certification, and Training

3443 North Central Avenue # 810

Phoenix, Arizona 85012

Any other matters prescribed by statute that are applicable to the specific agency or to any specific rule or class of rules: Not applicable.

10. Incorporation by reference and their location in the rules:

R9-14-608:

"Methods for Chemical Analysis of Water and Wastes," EPA 600/4-79-020, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, revised March 1983.

Notices of Proposed Rulemaking

- "Methods for the Determination of Metals in Environmental Samples-Supplement 1", EPA 600/R-94-111, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, May 1994.
- "Methods for the Determination of Inorganic Substances in Environmental Samples", EPA-600/R-93-100, August 1993.
- "Interim Radiochemical Methodology for Drinking Water," EPA 600/4-75-008, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, revised March 1976.
- "Standard Methods for the Examination of Water and Wastewater," APHA-AWWA-WPCF, Washington, D.C., 19th Edition, 1995.
- "Hach Handbook of Water Analysis," 1979, Hach Chemical Company, Loveland, CO 80537.
- "Iron, 1,10-Phenanthroline Method," Method 8008, 1980, Hach Chemical Company, P.O. Box 389, Loveland, CO 80537.
- "Methods for the Determination of Organic Compounds in Drinking Water," EPA/600/4-88/039, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, July 1991.
- "Methods for the Determination of Organic Compounds in Drinking Water, Supplement I", EPA/600/R-92/129, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, June 1991.
- "Methods for the Determination of Organic Compounds in Drinking Water, Supplement II", EPA/600/R-92/129, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, August 1992.
- "Manual for the Certification of Laboratories Analyzing Drinking Water, Third Edition," EPA 570/9-90/008, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, April, 1990, and Updated September 1992.
- "The Determination of the Maximum Total Trihalomethane Potential," Method 510.1, EMSL, EPA, Cincinnati, Ohio 45268.
- "Tetra-through Octa-Chlorinated Dioxins and Furans by Isotope-Dilution HRGC/HRMS", EPA-821-B-94-005, October 1994.
- "Appendix A To Part 136 Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater," 40 CFR 136, 1995.
- "Appendix C to Part 136 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes, Method 200.7," 40 CFR 136, 1996.
- "Test Methods for Evaluating Solid Waste," EPA SW-846, 3rd Edition, EPA, Office of Solid Waste and Emergency Response, Washington, D.C., September, 1986, and updated September 1994.
- "PCB's in Transformer Oil/Waste Oil," EPA 600/4-81-045, September 1982.
- "National Institute for Occupational Safety and Health Manual of Analytical Methods," U.S. Department of Health and Human Services, Cincinnati, Ohio, 3rd Edition, February, 1984, updated May 1989.
- "Interim Method for Determination of Asbestos in Bulk Insulation Samples," EPA 600/4-82-020, EPA, Environmental Monitoring Systems Laboratory, Research Triangle Park, North Carolina, March 1982.
- "Analytical Method for Determination of Asbestos Fibers in Water," EPA/600/4-83-043, EPA, Environmental Research Laboratory, Athens, GA, September 1983.
- "Annual Book of ASTM Standards," Volume 11.01 and 11.02, Water and Environmental Technology, American Society for Testing and Materials, Philadelphia, Pennsylvania, 1994.
- "Methods for Determination of Inorganic Substances in Water and Fluvial Sediments", U.S. Department of Interior, U.S. Geological Survey, Washington, D.C., Third Edition 1989.
- Test Methods for the Determination of: "Ethylene Dibromide and Dibromochloropropane in Water," BLS-127, revised June, 1990; "TPH in Soil," 418.1AZ, revised September 7, 1994; "Ethylene Glycol in "Wastewater," BLS-188, revised April, 1990; and "Quantitation of Fuel Class Hydrocarbons by GC," BLS-191, issued September 1991, Arizona Department of Health Services, Division of State Laboratory Services, Phoenix, Arizona.
- "Prescribed Procedures for Measurement of Radioactivity in Drinking Water," EPA 600/4-80-032, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, August 1980.
- "Methods for Measuring the Acute Toxicity of Effluents to Freshwater and Marine Organisms," EPA/600/4-90/027F, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, August 1993.
- "Manual for the Evaluation of Laboratories Performing Aquatic Toxicity Tests," EPA/600/4-90/031, January 1991.
- "Methods for Aquatic Toxicity Identification Evaluations, Phase II Toxicity Identification Procedures for Samples Exhibiting Acute and Chronic Toxicity, EPA/600/R-92/080, EPA Office of Research and Development, Washington, D.C., September 1993.
- "Methods for Aquatic Toxicity Identification Evaluations, Phase III Toxicity Identification Procedures for Samples Exhibiting Acute and Chronic Toxicity, EPA/600/R-92/081, EPA Office of Research and Development, Washington, D.C., September 1993.

Notices of Proposed Rulemaking

"Short Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms, EPA 600/4-89-001 and EPA 600/4-89-001a, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, 1989 and Supplement, PB90-14564, September 1989.

"National Primary and Secondary Ambient Air Quality Standards," 40 CFR 50, Subchapter C, 1990.

"USEPA Manual of Methods for Virology," EPA 600/4-84/013, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, February 1984.

"Standards of Performance For New Stationary Sources, Appendix A -Test Methods," 40 CFR 60, Appendix A, 1993.

"Arizona Testing Manual For Air Pollutant Emissions," Arizona Office of Air Quality, Phoenix, Arizona, May 15, 1989, Revision E.

"National Emission Standards for Hazardous Air Pollutants, Appendix B Test Methods and Appendix C - Quality Assurance Procedures," 40 CFR 61, Appendix B and C, 1994.

Broadway, et al., "Final Report of Equivalency Testing for Colisure," Montana State University, Bozeman, MT, September 29, 1992.

"National Primary Drinking Water Regulations," 40 CFR 141, Subpart C, Appendix C, 1994.

"The Determination of Inorganic Anions in Water by Ion Chromatography," EPA 600/4-84-017, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, August 1991.

Environmental Measurements Laboratory (EML) Procedures Manual, HASL-300, Vol. 1, U.S. Department of Energy, 27th Edition, 1990, New York, NY

Radiochemistry Procedures Manual, Eastern Environmental Radiation Facility (EERF) EPA-Montgomery, EPA 520/5-84/006, Montgomery, AL., August 1984.

Radiochemical Analytical Procedures for Analysis of Environmental Samples, EPA, Environmental Monitoring and Support Laboratory (EMSL). EMSL-LV0539-17, Las Vegas, NV., March 1979.

"Test Methods for Escherichia coli in Drinking Water, EC Medium with Mug Tube Procedure, Nutrient Agar with Mug Membrane Filter Procedure," EPA 600/4-91/016, EPA, Environmental Monitoring Systems Laboratory, Cincinnati, Ohio, July 1991.

11. The full text of the rule follows:

TITLE 9. HEALTH SERVICES

CHAPTER 14. DEPARTMENT OF HEALTH SERVICES LABORATORIES

ARTICLE 6. LICENSING OF ENVIRONMENTAL LABORATORIES

Section

R9-14-601. Definitions

R9-14-602. License Applicability and Transition

R9-14-603. Licensure Process for Laboratories Not Currently

Licensed by the State of Arizona

R9-14-604. Provisional License Licensure Renewal Process

R9-14-604-R9-14-605 Provisional Licensure

R9-14-605-R9-14-606 Licensure Fees

R9-14-606.R9-14-607.Performance Proficiency Evaluation

R9-14-607.R9-14-608. Approved Methods and References

R9-14-608.R9-14-609.Drinking Water Sample Matrix

R9-14-609-R9-14-610 Wastewater Sample Matrix

R9-14-610.R9-14-611.Solid, Liquid, and Hazardous Waste Sample Matrix

R9-14-611-R9-14-612 Air Sample Matrix

R9-14-612-R9-14-613 Quality Assurance

R9-14-613.R9-14-614.Operation

R9-14-614.R9-14-615.Laboratory Records and Reports

R9-14-615.R9-14-616.Laboratory Safety

R9-14-616.R9-14-617.Mobile Laboratories

R9-14-617-R9-14-618 Out-of-state Environmental Laboratory

Licensure

ARTICLE 6. LICENSING OF ENVIRONMENTAL LABORATORIES

R9-14-601. Definitions

Words and phrases defined in A.R.S. § 36-495 have the same meaning when used in these rules. In this Article, unless the context otherwise requires:

- 1. "ADEQ" means the Department of Environmental Quality
- "Approved method" means an analytical test method which has been is required by law or is recognized by the Department as acceptable for a specific usage.
- "Arizona Permit System for Aquifer Protection" means A.R.S. § 49-241 through 49-251.
- "Arizona Permit System for Reuse of Wastewater" means A.R.S. § 49-104 and 49-250.
- "Blind proficiency evaluation audit" means a series of performance proficiency evaluation samples submitted to the laboratory in such a manner that the laboratory is unaware that it is testing a performance proficiency evaluation sample.
- "Categories" of laboratory testing means drinking water, wastewater, hazardous waste, or air.
- 6-7. "Clean Air Act" means 42 U.S.C.A. § 7401-7642.
- 7.8. "Clean Water Act" means 33 U.S.C.A. § 1251-1376.

- 8. 9. "Combination" means the approved method licensure fee for any combination of methods listed in that paragraph.
- 9.10. "Comprehensive Environmental Response, Compensation and Liability Act" means 42 U.S.C.A. § 9601-9657.
- 10-11. "Environmental water laboratory" means a laboratory that holds a valid license issued by the Department prior to the effective date of this Article.
- 41-12."EPA" means the United States Environmental Protection Agency.
- 12.13. "Federal Insecticide Fungicide and Rodenticide Act" means 7 U.S.C.A. § 136-136y.
- 13.14."Intercomparison studies" means the performance proficiency evaluation service for radiochemical samples established by EPA's Environmental Monitoring Systems Laboratory.
- 14-15. "Licensure" means the approval by the Department of a laboratory to perform compliance testing for environmental monitoring programs, categories of laboratory testing, parameters of laboratory testing and approved methods of laboratory testing as defined in A.R.S. § 36-495.03 et seq. and this Article.
- 15-16. "Parameter" means one of a set of chemical, physical, radiochemical, microbiological or biological properties whose value determine the characteristics of an environmental sample.
- 16.17. "Performance Proficiency evaluation audit" means a series of samples submitted to a laboratory for use in evaluating the laboratory's ability to correctly analyze compliance testing samples using approved methods.
- 47-18."Performance Proficiency evaluation service" means the Department, EPA, or an independent service acceptable to the Department who provides performance proficiency evaluation audit materials and evaluates the correctness of the performance proficiency evaluation audit results.
- 18-19. "Principal State Laboratory System" means the Department, Division of State Laboratory Services and the Arizona Radiation Regulatory Agency Laboratory, which are certified by EPA.
- 19-20."Radiation assessment performance proficiency evaluation audit" means any performance proficiency evaluation service or performance proficiency evaluation audit required by EPA under the Safe Drinking Water Act for radiochemistry testing.
- 20.21."Resource Conservation and Recovery Act" means 42 U.S.C.A. § 6921-6939B.
- 21-22."Safe Drinking Water Act" means 42 U.S.C.A. § 300f-300j-11.
- 22.23. "Single Method" means the approved method licensure fee for any single method listed in that paragraph.
- 24. "Temporary license" means a license issued to a laboratory that meets the criteria in R9-14-603(F) before an onsite evaluation is performed by the Department.
- 23-25."Toxic Substances Control Act" means 42 U.S.C.A. § 2601-2654.
- 24-26. "U.S.C.A." means United States Code Annotated.
- 25-27."Underground Storage Tank Regulation" means A.R.S. §§ 49-1001 through 49-1014.
- 27-28."Water pollution performance proficiency evaluation audit program" means any performance proficiency evaluation service or performance proficiency evaluation audit established by EPA under the Clean Water Act.
- 28-29. "Water Quality Assurance Revolving Fund" means the fund and criteria established under A.R.S. §§ 49-282 through 49-287.
- 26-30."Water supply study audit program" means any performance proficiency evaluation service or performance

proficiency evaluation audit required by EPA under the Safe Drinking Water Act.

R9-14-602. License Applicability and Transition

- A. This Article shall not apply to compliance testing of parameters as outlined in A.R.S. § 36-495.02(A)(3). conducted outside of a laboratory so long as this testing uses an approved method or a method directed by ADEQ, and the testing is performed at the time of sample collection.
- B. This Article shall not apply to laboratory compliance testing which is performed pursuant to the Toxic Substances Control Act and the Federal Insecticide Fungicide and Rodenticide Act.
- C. An environmental laboratory which is not licensed at the effective date of this Article maybe deemed to be in compliance with this Article and A.R.S. Title 36, Chapter 4.3, Article 1, if the environmental laboratory owner or laboratory director submits to the Department, within 120 calendar days from the effective date of this Article, a completed application for licensure and all applicable licensure fees, and the laboratory meets the standards set forth in this Article.
- D. An environmental water laboratory which has been issued a current license by the Department prior to the effective date of this Article shall be deemed to be in compliance with this Article and A.R.S. Title 36, Chapter 4.3, Article 1, if the environmental laboratory owner or laboratory director submits to the Department, within 30 calendar days from the effective date of this Article, a completed application for licensure and all applicable licensure fees.
- E. Subsections (C) and (D) of this section shall apply to a laboratory until either of the following occurs:
 - The laboratory owner or operator is issued an environmental laboratory license pursuant to this Article, or
 - The laboratory owner or operator is denied an environmental laboratory license.
- F. A person who has an application for an environmental water laboratory license pending on the effective date of this Article shall be issued an environmental laboratory license upon the payment of fees and compliance with the requirements of A.R.S. Title 36 Chapter 4.3 and this Article.

R9-14-603. Licensure Process for Laboratories Not Currently Licensed by the State of Arizona

- A. To obtain a license the laboratory shall file an a complete application on a form provided by the Department and submit payment of all applicable fees to the Department pursuant to A.R.S. § 36-495.03(A) and (B), and this Article pursuant to R9-14-607(B).
- B. Excluding mobile laboratories, multiple Multiple laboratories located on contiguous grounds and under the same ownership may be licensed under a single license provided that the real property on which the laboratories are located can be enclosed by a single unbroken boundary line which does not enclose property owned or leased by others.
- C. Multiple laboratories, including mobile laboratories located on noncontiguous grounds and under the same ownership may be licensed independently or under a single license at the owner's discretion. If the laboratory chooses the single license option, each nonmobile laboratory shall be located within Arizona and each mobile laboratory shall maintain Arizona vehicle registration.
- D. An application for licensure shall be made for any of the approved methods contained in R9-14-607 R9-14-609 and listed in R9-14-608 R9-14-610 through R9-14-611 R9-14-613 for compliance testing required by ADEQ; the Clean Air Act; the Clean Water Act; the Comprehensive Environmental Response, Compensation and Liability Act; the Resource Con-

- servation and Recovery Act; or the Safe Drinking Water Act; or the Toxic Substance Control Act.
- E. The Department shall notify the laboratory director of any deficiencies omissions or additional information needed in the application and payment of fees within 15 working days from the receipt of the application and fees. If Within 15 working days from when the Department determines that the application is complete and proper fees are submitted, the Department shall schedule a laboratory inspection or proficiency evaluation audit or both. After an application is determined to be complete and proper fees have been paid, the laboratory inspection shall not occur later than 30 days for an in-state lab and 60 days for an out-of-state lab, unless the Department and applicant mutually agree to a delay in the inspection date.
- The Department may grant a temporary license for all sample matrices except drinking water, to an out of state laboratory, before an on-site inspection occurs, if the laboratory has submitted a complete application, paid all applicable fees, provided successful proficiency evaluation results after from current EPA studies or an approved 3rd party, and provided current certification information for comparable testing being requested from another state certification program.
- **F G.** The Department shall provide the laboratory director with a written report of findings within 30 working days from the completion of any inspection, investigation or performance proficiency evaluation audit.
- G H.During the first twelve months after the effective date of this Article, if a A laboratory seeking initial licensure in Arizona that cannot demonstrate compliance with A.R.S. §§ 36-495.01 through 36-495.08 and this Article, the laboratory shall submit within 15 working days from the date the laboratory receives the written report of findings from the Department, a written corrective action plan to the Department with corrective action and completion dates acceptable to the Department. Laboratories seeking initial licensure shall have no more than three menths 75 working days from the date the laboratory receives the written notification report of findings from the Department to correct deficiencies listed in the Department's inspection or investigation report. After the first year from the effective date of this Article, a laboratory that cannot demonstrate compliance with this Article shall have no more than 15 working days from the date the laboratory receives written notification by the Department to submit a written plan to the Department to correct deficiencies listed in the inspection or investigation report. The written plan shall contain corrective action completion dates acceptable to the Department.
- I. Within 30 working days of receipt of the laboratory's plan of corrective action, the Department shall provide the laboratory with a written approval or disapproval.
 - 1. If the laboratory's plan of corrective action was disapproved by the Department, the laboratory shall submit a new corrective action plan for the items which the Department has disapproved, within 15 working days from receipt of the Department's written disapproval.
 - Within 15 working days of receipt of the laboratory's revised corrective action plan, the Department shall provide the laboratory with a written approval or disapproval of the revised plan.
- J. This Section shall apply to a laboratory not currently licensed in Arizona until either of the following occurs:
 - 1. The laboratory owner or operator is issued a laboratory license pursuant to this Article, or
 - 2. The laboratory owner or operator is notified of the Department's intent to deny a laboratory license.
- K. Notification by the Department of issuance or denial of a license shall not exceed 180 working days for in-state labs,

and 200 working days for out-of-state labs from the date that the Department determined that the application was complete and proper fees were submitted.

R9-14-604. Licensure Renewal Process

- A. To renew an existing license, a laboratory must submit to the Department, at least 30 days prior to the expiration of the current license, a complete application, and payment of all applicable fees as prescribed in R9-14-606.
- B. The Department shall notify the laboratory director of any deficiency in the application and payment of fees within 15 working days from the receipt of the application and fees. If the application is complete and proper fees are submitted, the department shall renew a laboratory license, unless the director determines pursuant to A.R.S. § 36-495.09 that grounds exist to deny the license.
- C. The Department may conduct a laboratory inspection or proficiency evaluation audit, or both, during the term of the licensure period.
- D. The Department may grant a temporary license to a laboratory with an existing laboratory license, if the laboratory is moving to a new location. The Department shall not grant the temporary license to such laboratories if the owner or director is also changed.
- E. A laboratory with a renewed license that cannot demonstrate compliance with this article, shall submit to the Department within 30 working days from the date the laboratory receives the written report of findings, a written plan to correct deficiencies listed in the written report of findings with corrective action and completion dates acceptable to the Department.
- F. The Department shall provide the laboratory with a written response within 30 working days upon receipt of the laboratory's plan of corrective action to the Department's written report of findings.

R9-14-604. R9-14-605. Provisional Licensure

- A. The Department may issue a provisional license when its investigation, inspection, or proficiency evaluation audit identifies deficiencies, but the number and nature of deficiencies do not pose a risk to public health, safety or the environment.
- C.B. The Department may issue a provisional license for any of the following reasons:
 - The laboratory does not adhere to the applicable references in R9-14-609 or the requirements for facilities, equipment, reagent quality control practices, or approved methods appropriate to the sample matrix as listed in R9-14-608 R9-14-610 through R9-14-611 R9-14-613;
 - The laboratory fails to participate in a performance proficiency evaluation audit and submit results within the acceptance limits or the time frames established by the performance proficiency evaluation service;
 - Two of any three consecutive performance proficiency evaluation audit reports have the same parameter deemed outside acceptance limits unsatisfactory or unacceptable by a performance proficiency evaluation service; or
 - 4. The laboratory fails to submit a written corrective action report to the Department within 45 30 working days of the receipt of performance proficiency evaluation audit results that are deemed outside acceptable limits unsatisfactory or unacceptable.
- E. C.The department shall issue an amended certified list of parameters for the provisional license. The licensee shall return its regular license to the Department within 10 working days from the date of receipt of written notification that the Department issues issued a provisional license.

- **B. D.**A provisional license shall be valid for a set period established by the Department, not to exceed the expiration date of the laboratory's suspended regular license.
- D. E.A laboratory with a provisional license may receive a regular renew its license provided that it applies for renewal a regular license at least 30 working days prior to the expiration of its provisional license. and provided that the laboratory demonstrates to the Department that the deficiencies which produced the suspension of the regular license have been corrected. At such time, the Department shall issue to the laboratory a license, unless the director determines pursuant to A.R.S. § 36-495.09 that grounds exist to deny the license.

R9-14-605. R9-14-606. Licensure fees

- A. Each laboratory applying for a license shall pay to the Department, at the time of application, a nonrefundable application fee, in U.S. dollars, dependent upon the following laboratory license classifications:
 - Limited Level I A license for compliance testing is limited to the drinking water and wastewater matrix and testing parameters are limited to no more than microbiology, pH, biochemical oxygen demand, turbidity, chlorine and residues. 1 to 9 total paremeters in any combination of sample matrices. \$1,087.00
 - \$1,000.00
 2. Level \(\frac{1}{4}\) II A license for compliance testing is limited to the drinking water and wastewater matrix and testing parameters are limited to no more than microbiology, pH, biochemical oxygen demand, turbidity, chlorine, residues and up to any five additional approved testing methods.

10 to 17 total parameters in any combination of sample matrices.

\$1,359.00 \$1,270.00

- Level II III A license for compliance testing is unlimited by matrix and compliance testing methods. for greater than 17 total parameters in any combination of sample matrices. \$1,495.00 \$1,400.00
- B. Multiple laboratories applying under the single license option shall pay to the Department, at the time of application, a nonrefundable application fee for each noncontiguous laboratory, as outlined in R9-14-603, dependent upon the following laboratory license classifications:

 1. Limited Level I \$952.00 \$860.00

 2. Level I II \$1,223.00 \$1,130.00

 3. Level II III \$1,359.00 \$1,270.00

- C. One-year after the effective-date of this Article, a laboratory that seeks to renew an existing regular license shall pay a non-refundable application fee dependent upon the laboratory classifications of subsections (A) and (B) of this Section minus \$90.00.
- D.C. In addition to the licensure application fee, the applicant shall pay to the Department a nonrefundable fee for the approved methods and associated instrumentation for which the laboratory seeks licensure. The Department shall calculate and collect the fee prior to the issuance of a license for the approved methods and associated instrumentation as follows:

. 1	TICROBIOLOGY TESTING	Fee
a	Total coliform:	
	Most Probable Number	\$136.00
	Membrane filtration	136.00
	MMO-MUG (Colilert or Colisure only)	91.00
	Presence-Absence	136.00
b	Fecal coliform:	
	Most Probable Number	136.00
	Membrane filtration	136.00
Ç	Fecal streptococcus	
	Most Probable Number	136.00
	Membrane filtration	136.00
	Salmonella	136.00
	Heterotrophic plate count	91.00
	Any one approved method in each group for total coliform, fecal coliform, fecal streptococcus,	
	Samonella, and heterotrophic plate count.	\$408.00
	Any combination of approved methods for total coliform, fecal coliform, fecal streptococcus,	
	Samonella, and heterotrophic plate count.	\$725.00
	Viruses	227.00
*	Parasites	227.00
	IOASSAY	
Α	ny combination of methods for estimating the chronic and acute toxicity of effluents and waters	
to	fresh water organisms.	\$544.00
r	EMAND	
	Biochemical Oxygen Demand	\$91.00
	Chemical Oxygen Demand	91.00
Π	NORGANIC CHEMISTRY - METALS	71.00
a	Flame atomic absorption (FAA) approved methods.	
	Each metal for which the laboratory applies using any single FAA-approved method from any single approved method reference.	\$15.00 each, up to a maximum of \$295.00

	Each metal for which the laboratory applies using any combination of FAA-approved methods from any combination of approved method references.	\$24.00 each, up to a maximum of \$468.00
b.	Electrothermal graphite furnace atomic absorption (GFAA) approved methods.	
	Each metal for which the laboratory applies using any single GFAA-	\$15.00 each, up to a
	approved method from any single approved method reference.	maximum of \$272.00
	Each metal for which the laboratory applies using any combination of GFAA-approved	\$24.00 each, up to a
	methods from any combination of approved method references.	maximum of \$435.00
C.	Inductively Coupled Plasma (ICP) emission spectrometer approved methods.	
	Each metal for which the laboratory applies using any single ICP-approved method	\$12.00 each, up to a
	from any single approved method reference.	maximum of \$260.00
	Each metal for which the laboratory applies using any combination of ICP-approved	\$18.00 each, up to a maximum of \$390.00
a	methods from any combination of approved method references. Inductively Coupled Plasma/Mass Spectrometer (ICP/MS) approved methods)	maximum of \$390.00
d.		610 00t
	Each metal for which the laboratory applies using any ICP/MS approved method	\$18.00 each, up to a
-	reference	maximum of \$390.00
£.	Colorimetric metal testing approved methods.	
f.	Each colorimetric approved method for which the laboratory applies. Mercury cold vapor approved methods.	\$45.00
	Any single mercury cold vapor approved method from any single approved method	
	reference for which the laboratory applies.	\$91.00
	Any combination of mercury cold vapor approved methods from any combination of	#17.COO
	approved method references for which the laboratory applies.	\$136.00
g.	Metals by hydride generation approved methods.	
	Each All hydride metals for any single approved method from any single approved	\$45.00 each, up to a
	method reference for which the laboratory applies.	maximum of \$68.00
	Any combination of metals by hydride generation approved methods from any	***************************************
	combination of approved method references for which the laboratory applies.	\$68.00
TATO	ORGANIC CHEMISTRY - NONMETALS	
TIAK	JRGANIC CHEMISTRY - NONMETALS	
a.		
	Nonmetals Group IA	\$23.00
		\$23.00 23.00
	Nonmetals Group IA Total Alkalinity Chloride Chlorine	23.00 23.00
	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide	23.00 23.00 23.00
	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color	23.00 23.00 23.00 23.00
	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃)	23.00 23.00 23.00 23.00 23.00
	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH)	23.00 23.00 23.00 23.00 23.00 23.00
	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone	23.00 23.00 23.00 23.00 23.00 23.00 23.00
	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue)	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
<u>a.</u>	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
<u>a.</u>	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
<u>a.</u>	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
<u>a.</u>	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00
<u>a.</u>	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium Azide Sodium/Potassium Perchlorate	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00
<u>a.</u>	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium Azide Sodium/Potassium Perchlorate Maximum for any combination of Nonmetals	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00 45.00
b.	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium Azide Sodium Azide Sodium/Potassium Perchlorate Maximum for any combination of Nonmetals Group IA and IB for the first approved method for which the laboratory applies.	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00 45.00
a. b.	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium Azide Sodium Azide Sodium/Potassium Perchlorate Maximum for any combination of Nonmetals Group IA and IB for the first approved method for which the laboratory applies. Each additional Nonmetals Group IA approved method for which the laboratory applies.	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00 45.00 \$255.00 \$11.00
b. c. d. e.	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium Azide Sodium Azide Sodium Azide Sodium for any combination of Nonmetals Group IA and IB for the first approved method for which the laboratory applies. Each additional Nonmetals Group IB approved method for which the laboratory applies.	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00 45.00
a. b. c.	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium Azide Sodium Azide Sodium/Potassium Perchlorate Maximum for any combination of Nonmetals Group IA and IB for the first approved method for which the laboratory applies. Each additional Nonmetals Group IA approved method for which the laboratory applies.	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00 45.00 \$255.00 \$11.00
b. c. d. e.	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium Azide Sodium Azide Sodium Azide Sodium for any combination of Nonmetals Group IA and IB for the first approved method for which the laboratory applies. Each additional Nonmetals Group IB approved method for which the laboratory applies.	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00 45.00 \$23.00 \$23.00
b. c. d. e.	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium Azide Sodium/Potassium Perchlorate Maximum for any combination of Nonmetals Group IA and IB for the first approved method for which the laboratory applies. Each additional Nonmetals Group IB approved method for which the laboratory applies. Each additional Nonmetals Group IB approved method for which the laboratory applies. Nonmetals Group IIA Acidity Total Hardness	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00 45.00 \$23.00 \$23.00 \$23.00
b. c. d. e.	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO3) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium Azide Sodium Azide Sodium/Potassium Perchlorate Maximum for any combination of Nonmetals Group IA and IB for the first approved method for which the laboratory applies. Each additional Nonmetals Group IB approved method for which the laboratory applies. Each additional Nonmetals Group IB approved method for which the laboratory applies. Nonmetals Group IIA Acidity Total Hardness Surfactants	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00 45.00 \$255.00 \$11.00 \$23.00 23.00 23.00
b. c. d. e.	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO3) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium Azide Sodium/Potassium Perchlorate Maximum for any combination of Nonmetals Group IA and IB for the first approved method for which the laboratory applies. Each additional Nonmetals Group IB approved method for which the laboratory applies. Each additional Nonmetals Group IB approved method for which the laboratory applies. Sourfactants Total Hardness Surfactants Total Residue	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00 \$255.00 \$11.00 \$23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
b. c. d. e.	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium/Potassium Perchlorate Maximum for any combination of Nonmetals Group IA and IB for the first approved method for which the laboratory applies. Each additional Nonmetals Group IB approved method for which the laboratory applies. Each additional Nonmetals Group IA approved method for which the laboratory applies. Nonmetals Group IIA Acidity Total Hardness Surfactants Total Residue Nonfilterable Residue	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00 \$255.00 \$11.00 \$23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
b. c. d. e.	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium Azide Sodium/Potassium Perchlorate Maximum for any combination of Nonmetals Group IA and IB for the first approved method for which the laboratory applies. Each additional Nonmetals Group IB approved method for which the laboratory applies. Each additional Nonmetals Group IB approved method for which the laboratory applies. Nonmetals Group IIA Acidity Total Hardness Surfactants Total Residue Nonfilterable Residue Settleable Residue	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00 \$255.00 \$11.00 \$23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00
b. c. d. e.	Nonmetals Group IA Total Alkalinity Chloride Chlorine Chlorine dioxide Color Hardness (as CaCO ₃) Hydrogen ion (pH) Ozone Specific conductance Total Dissolved Solids (Filterable Residue) Turbidity Nonmetals Group IB Nitrate Sulfate Fluoride Sodium/Potassium Perchlorate Maximum for any combination of Nonmetals Group IA and IB for the first approved method for which the laboratory applies. Each additional Nonmetals Group IB approved method for which the laboratory applies. Each additional Nonmetals Group IA approved method for which the laboratory applies. Nonmetals Group IIA Acidity Total Hardness Surfactants Total Residue Nonfilterable Residue	23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 45.00 45.00 45.00 45.00 \$255.00 \$11.00 \$23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00

5.

		Ammonia		\$45.00
		Bromide		45.00 45.00
		Total Kjeldahl Nitrogen		45.00 45.00
		Nitrite Orthophosphate		45.00
		Total Phosphorus		45.00
	h.	Maximum for any combination of Nonmetals		10.00
		Group IIA and IIB for the first approved method for which the laboratory applies	i.	\$340.00
	i.	Each additional Nonmetals Group IIA approved method for which the laboratory		\$11.00
	j.	Each additional Nonmetals Group IIB approved method for which the laboratory		\$23.00
	k.	Ion chromatograph approved methods. Each ion for which the laboratory applies		\$20.00 each, up to a
	13m	using any IC approved method from any approved method reference.		maximum of \$200.00
6.	3.6.6	JOR ANALYTICAL CHEMISTRY INSTRUMENTS		4.4.3.3.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4
0.	1417	Each Gas Chromatograph (GC) instrument.		\$45.00
		Each Gas Chromatograph/Mass Spectrometer (GC/MS) instrument.		\$91.00
		Each Atomic Absorption Spectrometer instrument.		\$45.00
		Each Inductively Coupled Plasma Atomic Emission Spectrometer instrument.		\$45.00
		Each High Performance Liquid Chromatograph instrument.		\$45.00
		Each Inductively Coupled Plasma Atomic Emission Spectrometer/Mass Spectron	neter instrument.	\$91.00
		Each High Performance Liquid Chromatograph/Mass Spectrometer instrument		<u>\$91.00</u>
		Each Ion Chromatograph instrument		\$45.00
		Each Total Organic Halide (TOX) instrument		\$45.00
_	* * * *	Each Transmission Electron Microscope (TEM)		\$182.00
7.		DLATILE ORGANIC CHEMISTRY	Cimala Mathad	Combination
		rgeable organic GC and GC/MS approved methods.	Single Method \$91.00	\$91.00
	VO	latile Organics by GC by EPA Methods 502.1, 502.2, 503.1 8021A	\$91.00	\$136.00
	Y 1		45.00	68.00
		rgeable Halocarbons by EPA Methods 601 and 8010 8010B		
		tal Trihalomethanes (TTHM) 502.2, 524.2, 551	<u>45.00</u>	91.00 45.00
		eximum Trihalomethane Potential (MTP) 510.1	45.00	91.00
		rgeable Aromatics by EPA Methods 602, 8015 8015A, 8015M, 8020 8020A	45.00	91.00
		el Class Hydrocarbons by BLS Method 191	45.00	
	Fu	rgeable Halocarbons by EPA Methods 501.1, 501.2, 510.1,	45.00	68.00
		Standard Method 6232 B and D		08.00
		logenated and Aromatic Volatiles by EPA Method 8021 8021A	91.00	•
	Ac	rolein, Acrylonitrile, Acetonitrile by EPA Methods 603, 8030 8031, 8032,	45.00	69.00
	_	8033, 8316	45.00	68.00
0		rgeables by GC/MS by EPA Methods 524.1, 524.2, 624, 1624, 8240, 8260 <u>8260A</u> MIVOLATILE ORGANIC CHEMISTRY	91.00	181.00
8.			Single Method	Combination
	36	mivolatile organic GC approved methods.	\$69.00	Comomation
		Aniline and Derivatives by EPA Method 8131	\$45.00	
		Benzidines by EPA Method 605		
		Benzidines and Nitrogen Pesticides by EPA 553	<u>\$69.00</u> \$69.00	
		Bis(2-chloroethyl)ehter Hydrolysis Products) by EPA 8430		102.00
		Carbamates/Urea Pesticides by EPA Methods 531.1, 632, 8318	69.00	102.00
		Carbonyl Compounds by EPA 8315	\$69.00	
		Chlorinated Herbicides by EPA Methods 515.1, 515.2, 555,	CO 00	102.00
		8150, 8151, Standard Methods 6640-B, ASTM D-3478-85	69.00	102.00
		Chlorinated Hydrocarbons by EPA Methods 612, 8120 8121	69.00	102.00
		1,2-Dibromoethane and 1,2-Dibromo-3-Chloropropane by EPA Methods	60.00	100.00
		504, 504.1, 551, 8011, BLS Method 127	69.00	102.00
		Diquat and Paraquat by EPA Method 549.1	69.00	
		Endothall by EPA Method 548.1	69.00	100.00
		Glyphosate by EPA Method 547, 6651	69.00	102.00
		Haloacetic Acetic Acids by EPA	69.00	102.00
		Method 552 and 552.1 Haloethers by EPA Methods 611, 8110, 8111	69.00	102.00
		Nitroaromatics and Cyclic Ketones by EPA Methods 609, 8090, 8091, 8330	69.00	102.00
		Nitroglycerine by EPA 8332	<u>69.00</u>	404
		Nitrosamines by EPA Methods 607, 8070, 8330	69.00	102.00
		Nonvolatiles by HPLC/MS by EPA Methods 8321, 8325	91.00	136.00

	Organochlorine Pesticides/Polychlorinated Biphenyls by EPA Methods 505,		
	508, 508.1, 608, 8080, 8081, 8082 Standard Method 6630C,		
	ASTM Method D3086-85, EPA-600/4-81-045	91.00	136.00
	Organophosphorus and Nitrogen Pesticides by EPA Methods 507, 614, 8140,		
	8141 8141A	69.00	102.00
	Phenols by EPA Methods 604, 8040, 8041A	69.00	102.00
	Polynuclear Aromatic Hydrocarbons by EPA Methods 550, 550.1, 610,		
	8100, <u>8310</u>	69.00	102.00
	Polynuclear Aromatic Hydrocarbons by EPA Method 8310	69.00	
	Phthalate Esters by EPA Methods 606, 8060, 8061, 506	69.00	102.00
	Semivolatile organic GC/MS approved methods by EPA Methods 525,	01.00	192.00
	525.2, 625, 1625, 8 250, 8270, 8270B Semivolatile organics GC/FT-IR by EPA 8410	91.00 69.00	182.00
	Tetrazine by EPA 8331	69.00	
	Triazine Pesticides by EPA Method 619	69.00	
	Dioxin and Furans by EPA Methods 1613, 613, 8280, 8290	272.00	362.00
	New or Director approved GC methods not listed above.	69.00	D 4244
	New or Director approved GC/MS methods not listed above.	91.00	
9.	RADIOCHEMICALS		
	Fee for radiochemistry testing		\$270.00
	Each radioisotope counting instrument		\$45.00
	Gross Alpha Activity		91.00
	Gross Beta Activity		91.00
	Radium-226		91.00
	Radium-228		91.00
	Cesium-134		91.00
	Iodine-131		91.00
	Polonium-210 Radon-222		91.00
	Strontium-89		91.00
	Strontium-99		91.00 91.00
	Tritium		91.00
	Uranium		91.00
	Photon Emitters, each method		91.00
	Each radiochemical approved method when the laboratory applies for five or more.		\$73.00
10.	HAZARDOUS CHARACTERISTIC TESTING APPROVED METHODS		
	Corrosivity toward steel		\$38.00
	Ignitability		38.00
	Reactivity		38.00
	Extraction Procedure Toxicity Characteristic*		\$91.00
	Toxicity Characteristic Leaching Procedure*		\$181.00
	Synthetic Characteristic Leaching Procedure*		\$181.00
	* (The fee for these procedures are for the sample extraction and leaching processes only.	.)	
11.	MISCELLANEOUS COMPLIANCE TESTING		
	Total Organic Carbon Total Organic Holidae		\$45.00
	Total Organic Halides Purgeable Organic Halides		45.00 68.00
	Extractable Organic Halides		68.00 68.00
	Ethylene Glycol		91.00
	Total Petroleum Hydrocarbon		91.00
	Oil and Grease		45.00
	Cyanide; total, direct and amenable to chlorination		91.00
	Total Phenois		91.00
	Calcium		23.00
	Lead in paint		23.00
	Magnesium - gravimetric		23.00
	Sulfide		45.00
	Sulfite		45.00
	Silica Bulk Asbestos Identification		45.00
	JOHN PROCESSOR INCINITIONALION		136.00

Notices of Proposed Rulemaking

	•	
	White Phosphorous	<u>69.00</u>
	Immunossay Tests (each)	<u>45.00</u>
	Compatibility Test for Wastes and Membrane Liners	20.00
	Cation-Exchange Capacity of Soil	20.00
	New or Director approved methods not currently listed	20.00
	Asbestos fiber counting by:	
	Light microscopy	136.00
	Electron microscopy	227.00
10	Electron Microscopy with X-ray Diffraction AMBIENT AIR COMPLIANCE TESTING APPROVED METHODS	300.00
12.		
	Carbon Monoxide	\$181.00
	Hydrocarbons	181.00
	Lead	181.00
	Nitrogen Dioxide	181.00
	Ozone Postovilsta Matte	181.00
	Particulate Matter	181.00
	Sulfur Oxides Maximum for ambient air testing.	181.00
12	AIR - STATIONARY SOURCES AND STACK TESTING APPROVED METHODS	\$952.00
13.		
	Carbon Dioxide/Oxygen/Excess Air	181.00
	Carbon Monoxide	181.00
	Carbonyl Sulfide/Carbon Dioxide	181.00
	Fluoride	181.00
	Gaseous Organic Compounds	181.00
	Hydrogen Sulfide Inorganic Lead	181.00
	Moisture Content	181.00
	Nitrogen Oxide	181.00
	Particulate Emissions:	181.00
	Asphalt Processing	01.00
	Fiberglass Insulation	91.00 91.00
	Nonsulfate	91.00
	Nonsulfuric Acid	91.00
	Pressure Filters	91.00
	Stationary Sources	91.00
	Sulfur Dioxide	91.00
	Wood Heaters	91.00
	Particulate emissions maximum	544.00
	Sulfur and Total Reduced Sulfur	181.00
	Sulfur Dioxide	181.00
	Sulfuric Acid Mist	181.00
	Volatile Matter/Density/Solids/Water	181.00
	Vapor Tightness - Gasoline Delivery Tank	181.00
	Volatile Organic Compounds	181.00
	Wood Heaters Certification and Burn Rates	181.00
	Stationary Sources and Stack Testing maximum	\$2,720.00
14.	ARIZONA EMISSION TEST APPROVED METHODS	
	Particulate Emissions:	
	Sulfuric Acid Mist/ Sulfur Oxides	\$181.00
	Dry Matter	181.00
15.	HAZARDOUS AIR POLLUTANT APPROVED METHODS FOR NATIONAL EMISSION STAN	IDARDS
	Arsenic	\$181.00
	Beryllium	181.00
	Mercury	181.00
	Polonium-210	181.00
	Vinyl Chloride	181.00
	Maximum for hazardous air pollutants	\$680.00

- **E.D.** The laboratory shall submit to the Department a nonrefundable handling fee of \$78.00 for each proficiency evaluation audit and the actual cost for proficiency evaluation audit materials, if applicable.
- F.E. Except for a change in the laboratory name, directorship, ownership or appointment of an acting laboratory director, a laboratory which requests the Department to amend or modify its license before the license's expiration date shall pay all applicable licensure fees and the actual expense incurred by the Department for such amendment or modification. Laboratories shall have 3 free modifications during a licensure period. Each additional modification shall be charged at a rate of \$10.00 per parameter for processing.
- G. An environmental laboratory which has been issued a license prior to the effective date of this Article with at least 90 calendar days remaining until the expiration of the license and which does not apply for any additional testing methods or parameters beyond its existing license shall pay prorated fees. The prorated fees shall be calculated by the following equation:

Total All Fees x Calendar Days Remaining On License = Prorated Fee

365

F. Each out-of-state licensed laboratory shall pay a \$75.00 fee if the laboratory chooses to receive technical updates from the Department by fax.

R9-14-606 R9-14-607. Performance Proficiency Evaluation

- A. Each laboratory shall demonstrate proficiency as determined by the Department or by the proficiency evaluation service through performance proficiency evaluation audits provided by the Principal State Laboratory System or a performance proficiency evaluation audit service provider approved by the Department, if available. The laboratory shall analyze and report performance proficiency evaluation audit samples for the testing program, category of testing, parameter, and approved methods for which an initial license or renewal license has been requested. Performance Proficiency evaluation parameters reported by the laboratory for subsections (B) through (G) shall be within acceptance limits established by the performance proficiency evaluation service or in addition for subsection (B) as required by 40 CFR 141.24, f.17.
- B. To maintain licensure for the approved methods listed for chemistry in R9-14-608 R9-14-609, the laboratory shall analyze and report results for EPA's water supply study (WS) audit program and the Principal State Laboratory System performance proficiency evaluation audit, if available, or from a proficiency evaluation service accepted by the Department.
- C. To maintain licensure for the approved methods listed for chemistry in R9-14-609 R9-14-610 and R9-14-610 R9-14-611, the laboratory shall analyze and report results for EPA's water pollution (WP) performance proficiency evaluation audit program and the Principal State Laboratory System performance proficiency evaluation audit, if available, or from a proficiency evaluation service accepted by the Department.
- D. To maintain licensure for the approved methods listed for microbiology in R9-14-608 R9-14-609 through R9-14-610 R9-14-611, the laboratory shall analyze and report results for EPA's performance proficiency evaluation audit program or the Principal State LaboratorySystem performance proficiency evaluation audit, if available, or from a proficiency evaluation service accepted by the Department.
- E. To maintain licensure for the approved methods listed for radiochemicals in R9-14-608 R9-14-609 through R9-14-611 R9-14-611, the laboratory shall analyze and report results for EPA's radiation assessment performance proficiency evaluation audit and the Intercomparison studies audit programs.

- F. To maintain licensure for the approved methods listed in R9-14-611 R9-14-612, the laboratory shall analyze and report results for the Principal State Laboratory System performance proficiency evaluation audit or EPA performance proficiency evaluation audit, if available, or from a proficiency evaluation service accepted by the Department.
- G. The Department may submit blind audit samples to a licensed laboratory.
- H. The laboratory shall test all performance proficiency evaluation audit samples within holding times required by the approved method for each of the audit parameters and report the results to the Department proficiency evaluation provider. Principal State Laboratory System chemistry performance proficiency evaluation audit sample results shall be reported to the Department within 60 calendar days from the time of receipt. Principal State Laboratory System microbiology performance proficiency evaluation audit sample results shall be reported to the Department within 14 calendar days from the time of receipt.
- I. The Department shall issue a report of Principal State Laboratory System performance proficiency evaluation audit findings to the laboratory within 45 working days of the deadline date for results of the performance proficiency evaluation audit.

R9-14-607 R9-14-608. Approved Methods and References

- A. All compliance samples shall be tested by approved methods and validated by the applicable quality assurance listed in R9-14-608 the following Key References; or in R9-14-609 through R9-14-611 R9-14-612 as appropriate to the sample matrix, or and/or as specifically required by ADEQ or EPA; unless otherwise specified in the license criteria issued to the laboratory. The latest promulgated revision of each method shall be used, unless otherwise stated in a permit. In the absence of any prior notification by the Department, the laboratory shall have 90 days from the date of promulgation to comply with this rule.
- B. If approved methods are not available for a particular testing program, category of testing, parameter, or new or revised EPA methods needed for compliance purposes, promulgated, recommended, or locally developed procedures may be used if these procedures have been reviewed and approved by the Director based upon the criteria in this section. Any person may submit a petition to the Department requesting approval of an analytical method. Petitions to approve an analytical method shall contain:
 - Name, telephone number, and address of the person submitting the petition;
 - Identification of the pollutant or parameter for which approval of an analytical method is being requested;
 - Written justification for using the proposed analytical method including a detailed description of the proposed analytical method, together with references to published or other studies confirming the general applicability of the proposed analytical method to the type of sample matrix for which its use in is intended; and
 - Data which demonstrates the performance of the proposed analytical method in terms of accuracy, precision, reliability, ruggedness, ease of use and ability to achieve a detection limit appropriate for the methods proposed use of the method.
 - The Department may require that the method be tested in parallel with a reference laboratory for precision and accuracy.
 - C.6. A proposed analytical method will be approved when the The Department may approve a proposed analytical method if it determines that the criteria listed in subsection (B)(4) of this Section have been demonstrated.

- D C. The following references identified by a capital letter under the heading "KEY" contain the approved methods listed by parameter in R9-14-608 R9-14-609 through R9-14-611 R9-14-612 and are incorporated herein by reference and on file with the Office of the Secretary of State and with the Department. The "KEY" references do not include any future editions.
 - KEY REFERENCE
 - A "Methods for Chemical Analysis of Water and Wastes," EPA 600/4-79-020, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, revised March 1983.
 - Al "Methods for the Determination of Metals in Environmental Samples Supplement 1", EPA 600/R-94-111, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, May 1994.
 - A2 "Methods for the Determination of Inorganic Substances in Environmental Samples", EPA-600/R-93-100, August 1993.
 - B "Interim Radiochemical Methodology for Drinking Water," EPA 600/4-75-008, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, revised March 1976.
 - C "Standard Methods for the Examination of Water and Wastewater," APHA-AWWA-WPCF, Washington, D.C., 17th 19th Edition, 1989 1995.
 - Cl "Hach Handbook of Water Analysis," 1979, Hach Chemical Company, Loveland, CO 80537.
 - C2 "Iron, 1, 10-Phenanthroline Method," Method 8008, 1980, Hach Chemical Company. P.O. Box 389, Loyeland, CO 80537.
 - D "Methods for the Determination of Organic Compounds in Drinking Water," EPA/600/4-88/039, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, December 1988 July 1991.
 - D1 "Methods for the Determination of Organic Compounds in Drinking Water, Supplement I." EPA/600/R-92/129, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, June 1991.
 - D2 "Methods for the Determination of Orgnaic Compounds in Drinking Water, Supplement II." EPA/600/R-92/129, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, August 1992.
 - D3 "Manual for the Certification of Laboratories
 Analyzing Drinking Water, Third Edition,"
 EPA 570/9-90/008, EPA, Environmental Monitoring and Support Laboratory, Cincinnati,
 Ohio, April 1990, and Updated September
 1992.
 - D4 "The Determination of the Maximum Total Trihalomethane Potential," Method 510.1, EMSL, EPA, Cincinnati, Ohio 45268.
 - D5 "Tetra-through Octa-Chlorinated Dioxins and Furans by Isotope Dilution HRGC/HRMS", EPA-821-B-94-005, October 1994.
 - E "Guidelines Establishing Test Procedures for the Analysis of Pollutants," 40 CFR 136, 1990.

- "Appendix A to Part 136 Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater," 40 CFR 136, 1995.
- E1 "Appendix C to Part 136 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes, Method 200.7," 40 CFR 136, 1996.
- F "Test Methods for Evaluating Solid Waste," EPA SW-846, 3rd Edition, EPA, Office of Solid Waste and Emergency Response, Washington, D.C., September 1986, and updated November 1990 September 1994.
- F1 "PCB's in Transformer Oil/Waste Oil," EPA 600/4-81-045, September 1982.
- G "National Institute for Occupational Safety and Health Manual of Analytical Methods," U.S. Department of Health and Human Services, Cincinnati, Ohio, 3rd Edition, February 1984, updated May 1989.
- H "Interim Method for Determination of Asbestos in Bulk Insulation Samples," EPA 600/4-82-020, EPA, Environmental Monitoring Systems Laboratory, Research Triangle Park, North Carolina, March 1982.
- H1 "Analytical Method for Determination of Asbestos Fibers in Water," EPA/600/4-83-043, EPA, Environmental Research Laboratory, Athens, GA, September 1983.
- I "Annual Book of ASTM Standards," Volume 11.01 and 11.02, Water and Environmental Technology, American Society for Testing and Materials, Philadelphia, Pennsylvania, 1990 1994.
- J "Methods for Determination of Inorganic Substances in Water and Fluvial Sediments",
 U.S. Department of Interior, U.S. Geological Survey, Washington, D.C., Third Edition 1989.
- K Test Methods for the Determination of:

 "Ethylene Dibromide and Dibromochloropropane in Water," BLS-127, revised June
 1990; "TPH in Soil," BLS-181 418.1AZ,
 revised August 1990; "Ethylene Glycol in

 "Wastewater," BLS-188, revised April 1990
 September 7, 1994; and "Quantitation of Fuel
 Class Hydrocarbons by GC," BLS-191, issued
 September 1991. Arizona Department of
 Health Services, Division of State Laboratory
 Services, Phoenix, Arizona.
- L "Prescribed Procedures for Measurement of Radioactivity in Drinking Water," EPA 600/4-80-032, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, August 1980.
- M "Methods for Measuring the Acute Toxicity of Effluents to Freshwater and Marine Organisms," EPA 600/4-85/013 EPA/600/4-90/027E, EPA, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio, March 1985 August 1993.
- M1 "Manual for the Evaluation of Laboratories Performing Aquatic Toxicity Tests," EPA/600/4-90/031, January 1991.
- M2 "Methods for Aquatic Toxicity Identification Evaluations, Phase II Toxicity Identification Procedures for Samples Exhibiting Acute and

	Chronic Toxicity, EPA/600/R-92/080, EPA		Broadway, et. al., "Final Report of Equivalency
	Office of Research and Development, Wash-		Testing for Colisure," Montana State Univer-
	ington, D.C. September 1993.		sity, Bozeman, MT, September 29, 1992.
M3	"Methods for Aquatic Toxicity Identification	U	"National Primary Drinking Water
	Evaluations, Phase III Toxicity Identification		Regulations," 40 CFR 141, Subpart C,
	Procedures for Samples Exhibiting Acute and		Appendix C, 1990 1994.
	Chronic Toxicity, EPA/600/R-92/081, EPA	v	"The Determination of Inorganic Anions in
	Office of Research and Development, Wash-		Water by Ion Chromatography," EPA 600/4-
	ington, D.C. September 1993.		84-017, EPA, Environmental Monitoring and
N	"Short Term Methods for Estimating the		Support Laboratory, Cincinnati, Ohio, March-
	Chronic Toxicity of Effluents and Receiving		1984 August 1991.
	Waters to Freshwater Organisms, EPA 600/4-	W	Environmental Measurements Laboratory
	89-001 and EPA 600/4-89-001a, EPA,	.,	(EML) Procedures Manual, HASL-300, Vol.
	Environmental Monitoring and Support		1, U.S. Department of Energy, 27th Edition,
	Laboratory, Cincinnati, Ohio, 1989 and Sup-		1990, New York, NY.
	plement PB90-14564, September 1989.	X	Radiochemistry Procedures Manual, Eastern
0	"National Primary and Secondary Ambient Air	22	Environmental Radiation Facility (EERF)
Ŭ	Quality Standards," 40 CFR 50, Subchapter C,		EPA-Montgomery, EPA 520/5-84/006,
	1990.		Montgomery, AL., August 1984.
P	"USEPA Manual of Methods for Virology,"	Y	Radiochemical Analytical Procedures for
•	EPA 600/4-84/013, EPA, Environmental	•	Analysis of Environmental Samples, EPA,
	Monitoring and Support Laboratory,		Environmental Monitoring and Support
	Cincinnati, Ohio, February 1984.		Laboratory (EMSL). EMSL-LVO539-17, Las
Q	"Standards of Performance For New Stationary		Vegas, NV., March 1979.
~	Sources, Appendix A - Test Methods," 40 CFR	Z	"Test Methods for Escherichia coli in Drinking
	60, Appendix A, 1990 1993.	4	Water, EC Medium with Mug Tube Procedure,
R	"Arizona Testing Manual For Air Pollutant		Nutrient Agar with Mug Membrane Filter
**	Emissions." Arizona Office of Air Ouality.		Procedure," EPA 600/4-91/016, EPA, Environ-
	Phoenix, Arizona, May 15, 1989, Revision E.		
S	"National Emission Standards for Hazardous		mental Monitoring Systems Laboratory,
ນ	Air Pollutants, Appendix B - Test Methods and		Cincinnati, Ohio, July 1991.
	Appendix C - Quality Assurance Procedures,"	R9-14-608, R9-14	4-609. Drinking Water Sample Matrix
	40 CFR 61, Appendix B and C, 1990 1994.		which conducts compliance testing under this rule
Ŧ	Edberg, S.C., et al., "National Field-		guidelines in reference D3, excluding laboratory
*	Evaluation of a Defined Substrate Method for		onal and experience requirements, and use the fol-
	the Simultaneous Detection of Total Coliforms		methods, unless a method falls under the alternate
	uic Simulareous Detection of Lotal Coliforms		

and Escherichia coli from Drinking Water:-

Comparison with Presence Absence Tech-

logy, Vol. 55, No. 4, April 1989, pp. 1003-

1008.

niques," Applied and Environmental Microbio-

der this rule laboratory use the folhe alternate specifications pursuant to R9-14-608(A) or (B). To locate the source of the approved method, cross reference the capital letter listed under "KEY" to the reference designation listed in R9-14-607 R9-14-608. When the identification and measurement of radionuclides other than those listed in subsection (E)(1) through (11) of this Section is required, Key reference "Z" is to be used, except in cases where alternative methods have been requested or approved in accordance with R9-14-607 R9-14-608(A) through (C).

Mic	crobiology:	KEY	APPROVED METHOD
1.	Total Coliforms:		
	Multiple Tube	С	9221B
	Membrane Filter	C	9222B
	Autoanalysis Colilert	Ŧ	Field Evaluation
	Colilert (OMPG-MUG)	\mathbf{C}	9223B
	Colisure	I	Broadway et al.
	Presence - Absence	C	9221E 9221D
2.	Heterotrophic Plate Count	С	9215B
3.	Escherichia coli	Z	Tube Procedure
			Membrane Filter Procedure
4.	Fecal coliform	С	9221C, 9221E, 9222D
San	nple preparation for metals:	KEY	APPROVED METHOD
1.	Preliminary Filtration	С	3030B
2.	Acid Extractable Metals	С	3030C
3.	Acid Digestion:		
	Nitric Acid	С	3030E
	Nitric Acid/Hydrochloric Acid	С	3030F
	Nitric Acid/Sulfuric Acid	С	3030G

	*10		
	Nitric Acid/Perchloric Acid	С	3030H
	Nitric Acid/Perchloric Acid/Hydrofluoric Acid	Č	3030I
	4. Dry Ashing	Č	3030J
	5. Microwave Assisted Digestion	Č	3030K
C.	Inorganic chemical and physical characteristics:	KEY	APPROVED METHOD
C.	Alkalinity		
	1. Alkaniny	A	310.1, 310.2
		C	2320B
		I	D1067-88B D1067-92B
	2. Aluminum	<u>Al</u>	220.7, 200.8, 200.9
		C	3120B, 3113B, 3111D
		1	<u>I-3051-85</u>
	3. Antimony	A1	200.8, 200.9
		C	3113B
		I	D3697-92
	2.4. Arsenic	A	200.7, 206.2, 206.3, 206.4, 206.5
		A1	200.7, 200.8, 200.9
		C	3113B, 3500-As B, C, E
			3114B, 3120B
		I	D2972-88A, D2972-88B
		*	D2972-93B, D2972-93C
		J	I-1062-78 I-1062-85
	-3.5. Barium		
		A	200.7, 208.1, 208.2
		A1	200.7, 200.8
		С	3111, 3111D, 3113B, 3500-BaB, C
			3120B
	6. Beryllium	Al	200.7, 200.8, 200.9
		C	3113B, 3120B
		I	D3645-93B
	4-7. Cadmium	A	200.7, 213.1, 213.2
		A1	200.7, 200.8, 200.9
		C	3111 , 3113B, 3500-Cd B, C
		Į	D3557-90A, D3557-90B
	5-8. Calcium	A	200.7, 215.1, 215.2
		A1	200.7
		C	3111, 3111B, 3120B, 3500-Ca B, C, D
		Ī	D1126-86, D511-88 <u>D511-93</u> A, B
	-6-9. Chloride	A	325.1, 325.2, 325.3
	O.C. WALVEROO	A2	300.0
		C	4500-Cl B, C, E, F D
		¥	300.0
	7-10.Chlorine, Total Residual		
	7-10. Chlorine, Total Residual	A A2	330.1, 330.2, 330.3, 330.4, 330.5
	11 011-1-1 12:	C	4500-Cl B, C , D, E, F, G, H
	11. Chlorine Dioxide	Ç	4500-C1O2 C, D, E
	8-12.Chromium, Total	A	200.7, 218.1, 218.2, 218.3
		A1	200.7, 200.8, 200.9
		С	3111, 3113B, 3500-Cr-B, C, <u>3120</u> 3120B
		Ī	D1687-86B
	9-13_Color	A	110.3
		С	2120 B, C, D
		J	I-1250-84
	10.14 Copper	A	2 00.7, 220.1, 220.2
		A1	200.7, 200.8, 200.9
		C	3111, 3111B, 3113B, 3500-Cu-B, C, 3120 3120B
		Ĭ	D1688-90A, D1688-90C
	11.15.Corrosivity	Ċ	2330B
	16. Cyanide	A2	335.4
		C	4500-CN C, E, F
		I	D2036-91A
		==	I-3300-85
	17. Cyanide, Amenable	I 2	
	1. Symme, ansmale	7~	4500-CN G

	I	D2036-91B
12.18.Fluoride	A	340.1, 340.2, 340.3
	A2	300.0
	С	4500-F B, C, D, E, <u>4110B</u>
	I	D1179-88A, D1179-88B
	-	D1179-938
13-19 Hardness	AA1	130.1, 130.2, Sum of 215.1 & 242.1 or Sum of Ca
+9-12 Hardiess	HAL	and Mg by 200.7 as their carbonates
	0	
	С	2340B, Sum of Ca & Mg by ICP as their
		carbonates
14-20 Iron	\mathbf{A}	200.7, 236.1, 236.2
	Al	<u>200.7, 200.9</u>
	С	3111, 3113B, 3500-Fe-B, C, 3120B
15.21.Lead	A	200.7, 239.1, 239.2
A 20 8 1865, April 20 Vic Vic	A1	200.7, 200.9
	C	3111, 3113B, 3500 Pb B, C, 3120B
	I	
		D3559-85A, D3559-85D
16.22 Magnesium	A	200.7, 242.1
	Al	200.7
	C	3111, 3111B, 3500 Mg B, C, 3120B 3120
17-23.Manganese	A	200.7, 243.1, 243.2
	A1	200.7, 200.8, 200.9
	C	3111, 3111B, 3113B, 3500-Mn-B, C, 3120B
	Ĭ	D858-90A, D858-90C
10 24 Mathelana Dhua Antirra Cuhatanaan	A	425.1
18.24.Methylene Blue Active Substances		
,	C	5540C
19-25.Mercury	A	245.1, 245.2
	Al	245.1, 200.8
	С	3500-Hg B 3112B
	I	D3223-86 D3223-91
26. Nickel	A1	200.7, 200.8, 200.9
and the second s	C	3111B, 3113B, 3120B
20.27, Nitrogen, Nitrate	A A2	352.1, 353.1, 353.2, 300.0, 353.3
zo.z.ranogen, maaic	C	4500-NO ₃ C, D, E, F, 4110B
	I	D3867-90A, D3867-90B
	¥	300.0
28. Nitrate	A2	353.2, 300.0
	C	4500-NO2 B, E, F, 4110B
	I	D3867-90A, D3867-90B
29. Ortho-Phosphate	A2	365.1.300.0
***************************************	I	D-515-88A
	Ĉ	4500-P-E,F, 4110
	1	I-2601-85, I-2598-85
20 0	Ċ	
30. Ozone		4500-03 B
21.31.pH (Hydrogen Ion)	A	150.1, 150.2
	C	4500-H B
	I	D1293-84A, D1293-84B
22.32 Residue, Filterable	A	160.1
	C	2540C
	I	I-1750-84
23.33 Temperature, Degrees Celsius	A	170.1
The second of th	Ĉ	2550B
24 24 Turbidity NTH: Nonhalamatria	Ā	180.1
24.34 Turbidity, NTU: Nephelometric		
052551	C	2130, 2130B
25-35_Selenium	A	200.7, 270.2, 270.3
	С	3113B, <u>3114B</u> , 3500-Se C, H, I
	I.	D3859-88, D3859-93A, D3859-93B
	J	I-1667-78 I-3667-85
36. Silica	Al	200.7
	C	4500-Si, D. E. F. 3120B
	-	

		*	D050 80
		Ţ	<u>D859-88</u> <u>I-1700-85</u>
	26.27.61	I	200.7, 272.1, 272.2
	26.37. Silver	A 1	
		<u>A1</u>	200.7, 200.8, 200.9
		ç	3111, 3111B, 3113B, 3500-Ag B, C, 3120B
		ī	<u>I-3720-85</u>
	28.38. Sodium	A	200.7, 273.1, 273.2
		A1	200.7
		С	3111, 3111B, 3500-Na B, C, D
			3120B, D4191-82 <u>D1428-82A</u>
	27.39. Specific Conductance	A	120.1
		С	2510B
		I	D1125-82A D1125-91A
		Ì	I-1780-84
	29-40_Strontium	A	200.7
		Al	200.7
		С	3500-Sr B, C, D
	30.41.Sulfate	Α	375.2, 375.3, 375.4
		A2	300.0
		С	4100, 4500-SO ₄ B, C, D, E, E
		I	D4327-91
		¥	300.0
	42. Thallium	A1	200.8, 200.9
	31.43.Zinc	A	200.7, 289.1, 289.2
	- 1- <u>1-1-1</u>	A1	2007, 200.8
		C	3111, 3111B, 3500 Zn B, C, 3120B
D	Organic chemicals:	KEY	APPROVED METHOD
ν.	Total Trihalomethanes	E	6232 B, D
	1. IOM Illianomentatios	ΨD	501.1, 501.2, 510.0, <u>502.2</u>
		D1	551
		D2	524.2
	2. Halogenated Volatiles	D	502.1, 502.2
	3. Aromatic Volatiles	D	502.2 , 503.1
	Chlorinated Pesticides	É	6630C
	4. Chiorniated resticides	D	505, 508 <u>, 508.1, 525.2</u>
		Į.	D3086-85
	5. Polychlorinated Biphenyls (PCBS)	D D	
	* * * * * * * * * * * * * * * * * * * *	C	505, 508, 508A 6640B
	6. Chlorophenoxy Herbicides	D	
		****	515.1
		D2	515.2, 555 D2479.95
	T 1 0 Dil (PDD)	I	D3478-85
	7. 1, 2-Dibromoethane (EDB)	D	504, 504.1
		<u>D1</u>	551 DI 6 127
	0 1 0 2 1 0 0 1 0 0 2 2	K	BLS-127
	8. 1, 2-Dibromo-3-Chloropropane (DBCP)	D	504, 504.1
		D1	551
		K	BLS-127
	9. Nitrogen and Phosphorus Pesticides	D	507, 525.2
	10. Volatile Organies	D _	524.1, 524.2
	11.10 Base/Neutrals and Acids	D	525, 525.2
	12.11 Carbamates	D	531.1
	12. Dioxins and Furans	<u>D5</u>	<u>1613</u>
	13. Glyphosate	<u>D1</u>	547
	14. Endothall	D2	548.1
	15. Diquat and Paraquat	D2	549.1
	Polycyclic Aromatic Hydrocarbons	D	525.2
		D1	550, 550.1
	17. DBPs and Chlorinated Solvents	D1	551
	18. Haloacetic Acids	D1	552
		D2	552.1

Notices of Proposed Rulemaking

	19. Phthalate Esters and Adipates	D	525.2
		D1	506
	20. Benzidines and Nitrogen Pesticides	D2	553
	21. Carbonyl Compounds	D2	554
	22. Chlorinated Acids	D2	555
E.	Radiochemical:	KEY	APPROVED METHOD
	1. Gross Alpha	В	Gross Alpha
	· · · · · · · · · · · · · · · · · · ·	Č	7110B
		L	900
	2. Gross Beta	B	Gross Beta
		Č	7110B
		L .	900
	3. Total Radium	В	Total Radium
		С	7500-Ra B
		L	903
	4. Radium-226	В	Radium-226
		С	7500-Ra B
		L	903.1
	5. Radium-228	L	904
	5.6. Cesium-134	В	Cesium-134
		C	7500-Cs B
		L	901
	-6-7. Iodine-131	В	Iodine-131
		С	7500-I B, C
		L	902
	7.8. Radon-222	L	Lucas Cell
	-8-9. Strontium	В	Strontium
		С	7500-Sr B
		L	905
	9-10 Tritium	В	Tritium
		С	7500-H B
		L	906
	10. 11.Uranium	В	Uranium
		С	7500-UB, C
		L	908, 908.1
		I	D2907-83
	11-12 Gamma Emitting Isotopes	L	901.1

R9-14-609.R9-14-610.Wastewater Sample Matrix

Every laboratory which conducts compliance testing under this rule shall use the following approved methods, unless a method falls under the alternate specifications pursuant to R9-14-608(A) or (B)

To locate the source of the approved methods, cross reference the capital letter listed under "KEY" to the reference designation listed in R9-14-607(A) R9-14-608(C).

und	er th	e alternate specifications pursuant to R9-14-608	B(A) or (B).	
A.	Microbiology:		KEY	APPROVED METHOD
	1.	Fecal Coliforms:		
		Multiple Tube Fermentation	C	9221C 9221E
		Membrane Filter	C	9222D
			J	B-0050-77 B-0050-85
	2.	Total Coliforms:		
		Multiple Tube Fermentation	C	9221B
		Membrane Filter	С	9222B
			J	B-0025-77
	3.	Fecal Streptococcus:		
		Multiple Tube	С	9230B
		Membrane Filter	С	9230C
		•	J	B0055-77 B0055-85
	4.	Viruses	P	Methods for Virology
			C	<u>9510</u>
В.	Ino	rganic chemicals, nutrients and demand:	KEY	APPROVED METHOD
	1.	Acidity	A	305.1 , 305.2
			C	2310B
			I	D1067-88B D1067-92

		•	~
2.	Alkalinity, Total	A	310.1, 310.2
2.	Aikaninty, 10aa	Ċ	2320B
		Ĭ	D1067-88B D1067-92
		J	I-1030-84, I-1030-85, I-2030-84 I-2030-85
		·	
3.	Aluminum	A	200.7, 202.1, 202.2
		A1	200.7, 200.8, 200.9
		С	3113B, <u>3111D</u> , 3500-ALB, C, 3120B
		J	I-3051-85
4.	Ammonia	A	350.1, 350.2, 350.3
7,	1 Millionan	C	4500-NH ₃ B, C, D, E, F, G, H
		I	D1426-89A, D1426-89B
		j	I-3520-84, I-3520-85, I-4523-84, I-4523-85
_			
5.	Antimony	A	200.7, 204.1, 204.2
		A1	200.7, 200.8, 200.9
		С	3113B, 3500-Sb B, C, 3120B, <u>3111B</u>
6.	Arsenic	A	200.7, 206.2, 206.3, 206.4, 206.5
		A1	200.7, 200.8, 200.9
		C	3113B, 3500-As B, C, E, 3120B
		I	D2972-88A, D2972-88B
		-	D2972-88A, B, C
		J	I-3060-85, I-3062-85
_	- ·		
7.	Barium	A	200.7, 208.1, 208.2
		Al	200.7, 200.8
		С	3111, 3113B , 3500-Ba B, C, 3120B
		I	D4382-91
		J	I-3084-85
8.	Beryllium	A	200.7, 210.1, 210.2
	·	Al.	<u>200.7, 200.8, 200.9</u>
		С	3111, 3113B, 3120B, 3500-Be B , C, D
		I	D3645-84A, D364588B, D419088
		J	I-3095-85
9.	Biochemical Oxygen Demand	A	405.1
٦.	Dionionian Oxy Bon Domaia	C	5210B
		j	I-1578-78
10	D	A	200.7, 212.3
10.	Boron		200.7
		Al C	
		C	3120B, 4500-B B, Đ
		J	I-3112-85
11.	Bromide	A	320.1
		A2	300.0
		I	D1246-88 <u>D1246-88C</u>
		J	I-1125-84 I-1125-85
		¥	300.0
12.	Cadmium	A	200.7, 213.1, 213.2
•	— • • • • • • • • • • • • • • • • • • •	A1	200.7, 200.8, 200.9
		c	3111, 311B, C 3113B, 3120B, 3500-Cd B, C, D
		I	D3557-90 A, B, C
		J	I-3135-85, I-3136-85
			200.7, 215.1, 215.2
13.	Calcium	A	· ·
		A1	200.7
		C	3111, 3120B, 3500-Ca B , C, D
		I	D511-88A, D511-92A, D511-88B D511-92B
		J	I-3152-85
14.	Chemical Oxygen Demand	A	410.1, 410.2, 410.3, 410.4
		С	5220B, 5220B, C, D
		C1	8000
		Ī	D-1252-88 D-1252-88A,B
		j	I-3560-84,- I-3560-85, I-3561-84, I-35-61-85, I-
		•	3562-84 I-3562-85
15	Chloride	A	325.1, 325.2, 325.3
13.	OHORIGE	4 A	
			•

		~	-
		A2	300.0
		С	4500-Cl B, C, E , F -
		1	D512-89A, D512-89B
		J	I-1183-84, I-1183-85, I-1187-84, I-1187-85, I-
			2187-84 I-2187-85, I-1184-85
		¥	300.0
16	Chlorine, Total Residual	A	330.1, 330.2, 330.3, 330.4, 330.5
		Ĉ	4500-Cl B, C, D, E, F, G
		Ī	D1253-86
17	Chromium, Hexavalent	A	218.4 , 218.5
17.	Old Ollindin, Honavalone	Č ·	3500-Cr D, 3111C
		J	I-1230-84, <u>I-1230-85,</u> <u>I-1232-84</u> <u>I-1232-85</u>
10	Chromium, Total	A	200.7, 218.1, 218.2, 218.3
10.	Chroman, rotal		
		A1 C	200.7, 200.8, 200.9
		C	3111, 311B,C 3113B, 3120B, 3500-Cr B, C, D
		I	D1687-86A, D1687-86B
			D1687-92A,B,C D4190-82
		J	1-3236-85
19.	Cobalt	Α	200.7, 219.1, 219.2
		Al	200.7, 200.8, 200.9
		С	3111, <u>3111B,C</u> 3113B, 3120B 3500-Co B,C
		I	D3558-85A, D3558-85B
			D3550-90A,B D1490-82
		J	I-3239-84, <u>I-3239-85</u> I-3240-84
20.	Color	Α	110.1, 110.2, 110.3
		С	2120B, 2120C, 2120E
		J	I-1250-84 I-1250-85
21.	Copper	A	200.7, 220.1, 220.2
	* *	A1	200.7, 200.8, 200.9
		C	3111, 3111B,C 3113B, 3120B, 3500-Cu B, C, D,
		-	E
		C1	<u> </u>
		I	D1688-90A D1688-90A,B,C
		•	D4190-82
		J	I-3270-85, I-3271-85
22	Cyanide, Amenable to Chlorination	A	335.1
22.	Cyande, Amenable to Chlorination	Ĉ	4500-CN G
		I	D2036-89B D2036-91B
22	Cumida Total		·
43.	Cyanide, Total	A C	335.2, 335.3
			4500-CN C, D, E
		Î	D2036-89A D2036-91A
- 4	771	J	I-3300-84 <u>I-3300-85</u>
24.	Fluoride	A	340.1, 340.2, 340.3
		<u>A2</u>	300.0
		С	4500-F B, C, D, E
		I	D1179-88A, D1179-88B
		J	<u>I-4327-84 I-4327-85</u>
25.	Gold	Α	231.1, 231.2
		С	3111, <u>3111B, 3500 Au B</u>
26.	Hardness	Α	130.1, 130.2, Sum of 215.1 & 242.1
			—or ICP Ca & Mg as their carbonates
		A1	200.7
		С	2340B, 2340C
	·	I	D1126-86
		J	I-1338-84 I-1338-85
27.	Iridium	Α	235.1, 235.2
		Ĉ	3111 3111B
28.	Iron	Ā	200.7, 236.1, 236.2
		C	3111, 3111B,C 3113B, 3120 B, 3500-Fe B, C, D
		C2	8008
			AMERICAN CONTROL CONTR

	I	D1068-90 A, B, C, D, D4190-82
	J	I-3381-85
29. Kjeldahl, Total Nitrogen	Α	351.1, 351.2, 351.3, 351.4
· · · · · · · · · · · · · · · · · · ·	C	4500-NH ₃ B, C, E, F, G, 4500-N B, 4500-N C
	I	D3590-89A, D3590-89B
00 1 1	J	I-4551-78
30. Lead	Α	200.7, 239.1, 239.2
	A1	<u>200.7, 200.8, 200.9</u>
	С	3111, 3111B,C 3113B, 3120B, 3500-Pb B, C, D
	I	D3559-85 A, B, C D3559-85A, B, C, D, D4190-82
	J	I-3399-85
31. Magnesium	A	200.7, 242.1
o a . A . A . A . A . A . A . A . A . A .		200.7
	<u>A1</u>	
	C	3111, 3111B, 3500-Mg B, C, D, 3120B
	I	D511-88A, D511-88B <u>D511-92B</u>
	J	I-3447-85
32. Manganese	Α	200.7, 243.1, 243.2
	A1	200.7, 200.8, 200.9
	С	3111, 3111B, 3113B, 3120B, 3500-Mn B, C, D
	Č1	8034
	I	D858-90A, D858-90C
	1	-
	_	D858-90A,B,C D4190-82
	J	1-3454-85
33. Mercury	Α	245.1, 245.2
	A1	245.1
	С	3500-Hg B 3112B
	I	D3223-86 D3223-91
	J	1-3462-84 <u>I-3462-85</u>
34. Molybdenum	A	200.7, 246.1, 246.2
	Al	200.7, 200.8
	C	3111, 3111D, 3113B, 3500 Mo B, C, 3120B
07 37 1 1	J	I-3490-85
35. Nickel	A	200.7, 249.1, 249.2
	A1	200.7, 200.8, 200.9
	С	3111, 3111B,C 3113B, 3120B, 3500-Ni B, C, D
	I	D1886-90A, D1886-90C
		D1886-90A,B,C D4190-82
	J	I-3499-85
36. Nitrate, Nitrogen	A	352.1, 353.1, 353.2, 353.3
	A2	300.0
	C	
		4500-NO ₃ C, E, F, H
	I	D3867-90A, D3867-90 B
	J	I-4545-84 <u>I-4545-85</u>
	¥	300. 0
37. Nitrite, Nitrogen	Α	354.1
	A2	<u>300.0</u>
	C	4500-NO ₂ B ₂ 4500-NO ₂ -C
	C1	8507
	Į	D4327-88-
	J	I-4540-84 I-4540-85
	*	300.0
38. Oil and Grease		
vo. On min Gronov	A C	413.1 , 413.2
20 0		5520B
39. Organic Carbon, Total (TOC)	A	415.1 , 415.2
	C	5310 <u>531B,C,D</u>
	I	D2579-85A, D2579-85B
40. Orthophosphate	A	365.1, 365.2, 365.3
	A2	300.0
	C	4500-P E,F
	I	D515-88A

1			
C 3414-3111D, 3500-0c-8		I	<u>I-4601-85</u>
### A	4 <u>0.41</u> .Osmium	A	252.1, 252.2
### A		С	
C 4500-0 C, 4500-0 G I D888-87B D888-92A,B I 1-575-78, I-1576-78 42-43,Palladium A 253,1,253.2 3.111B 43-44.H (Hydrogen Ion) A 150,1+50-2 C 4500-H B I D1293-84A, D1293-84B I D1293-84A, D1293-84B 44-45.Phenols, Total A 420,1,420.2 45. Phosphate, Orthe A 3651,3652,3653 C 4500-P.E, 4500-P.E I D1783-87A, D1783-87B 3651,3652,3653,365.4 46. Phosphorus, Total A 3651,3652,3653,365.4 46. Phosphorus, Total A 3651,3652,3653,365.4 47. Platinum A 3651,3652,3653,365.4 48. Potassium A 2551,255.2 47. Platinum A 2551,255.2 48. Potassium A 2007, 258.1 Al 2007. C 3111,3111B, 3500-P.B J 1-4600-84 1-4500-85 A 1603 C 2540B J 1-3750-84 1-2500-85 50. Residue, Filterable (TDS) A 1601 C 2540B J 1-3750-84, L3750-85 51. Residue, Nonfilterable (TSS). A 1602 C 2540C J 1-1750-84 1-1750-85 51. Residue, Volatile A 160.5 C 2540E J 1-3753-84 1-3750-85 52. Residue, Settleable Solids A 160.5 C 2540E J 1-3753-84 1-3750-85 55. Ruthenium A 2651, 265.2 56. Selenium A 2007, 270, 2-270.3 Al 2007, 2008, 2008 C 3111B, 3500-Ru B A 2007, 270, 2-270.3 Al 2007, 2008, 2009 C 3111B, 3500-Ru B A 2007, 270, 2-270.3 Al 2007, 2008, 2009 C 3111B, 3500-Ru B A 2007, 270, 2-270.3 Al 2007, 2008, 2009 C 3111B, 3500-Ru B A 2007, 270, 2-270.3 Al 2007, 2008, 2009 C 3111B, 3500-Ru B A 2007, 270, 2-270.3 Al 2007, 2008, 2009 C 3111B, 3500-Ru B A 2007, 270, 2-270.3 Al 2007, 2008, 2009 C 3111B, 3500-Ru B A 2007, 270, 2-270.3 Al 2007, 2008, 2009 C 3111B, 3500-Ru B A 2007, 270, 2-270.3 Al 2007, 2008, 2009 C 3111B, 3500-Ru B A 2007, 270, 2-270.3 Al 2007, 2008, 2009 C 3111B, 3500-Ru B A 2007, 270, 2-270.3 Al 2007, 2008, 2009 C 3111B, 3500-Ru B A 2007, 270, 2-270.3 Al 2007, 2008, 2009 C 3111B, 3500-Ru B A 2007,	41-42.Oxygen, Dissolved	A	
J D888-87B D888-97A R J L1575-78, L1576-78 A 253.1, 253.2 A 24.43.Palladium			
J			
42-43_Palladium			
C 3111B	40.40 D-11- 1'		· ·
43.44 (Hydrogen Ion)	42.43.Panadium		
C 4500-H B			
I D1293-84A, D1293-84B J 1-1586-83 L1586-83 L1586-85 L1588-84 L1586-85 L1588-84 L1691-84 L1691-85 L1691-85 L1691-85 L1515-88 L1515-88 L1515-88 L1515-88 L1515-88 L1515-88 L1515-88 L1691-85	43-44.H (Hydrogen Ion)	A	150.1 , 150.2
J 1-1586-84 L-1586-85 44.45.Phenols, Total		С	4500-HB
J		I	D1293-84A, D1293-84B
A 420.1, 420.2 44.5. Phonols, Total I D1733-87A, D1783-87B		J	
1 D1783-87A, D1783-87B 45. Phosphate, Ortho	44.45.Phenols, Total	A	
45. Phosphate, Ortho			
C	45. Phoenhate Ortho		•
Floophorus, Total	75. 1 1105pmato, Oxuro		
3			*
46. Phosphorus, Total A 365.1, 365.2, 365.3, 365.4 C 4500-P B, E, F I D515-88A, D515-88B J 146600-85 47. Platinum A 255.1, 255.2 C 3111, 3111B, 3500-Pt B 48. Potassium A 200.7, 258.1 A1 200.7 C 3111, 3111B, 3500-K B, C, D, 3120B J 13630-84 L-3630-85 49. Residue, Total A 160.3 C 2540B J 13750-85 50. Residue, Filterable (TDS) A 160.1 C 2540C J 14750-84 L-1750-85 51. Residue, Nonfilterable (TSS) A 160.2 C 2540B J 1-3765-84 L-3765-85 52. Residue, Settleable Solids A 160.5 C 2540F 53. Residue, Volatile A 160.4 C 2540E J 1-3753-84 L-3753-85 54. Rhodium A 265.1, 265.2 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500-Ru B 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500-Se-C, H, I, 3120B 3114B 3114B 10 38859-88A			
C 4500-P B, E, F I D515-884, D515-88B J 1-4600-85 47. Platinum A 255.1, 255.2 C 3111, 3111B, 3500-Pt B 48. Potassium A 200.7, 258.1 A1 200.7 C 3111, 3111B, 3500-K B, C, D, 3120B J 1-3630-84 1-3630-85 49. Residue, Total A 160.3 C 2540B J 1-3750-84, 1-3750-85 50. Residue, Filterable (TDS) A 160.1 C 2540C J 1-1750-84 1-1750-85 51. Residue, Nonfilterable (TSS). A 160.2 C 2540C J 1-1750-84 1-1750-85 52. Residue, Settleable Solids A 160.5 S Residue, Volatile A 160.4 C 2540F 53. Residue, Volatile A 160.4 C 2540F 54. Rhodium A 265.1, 265.2 The state of		ł	I-4601-84
I	46. Phosphorus, Total	Α	365.1, 365.2, 365.3, 365.4
J		С	4500-P B, E, F
J		I	D515-88A, D515-88B
47. Platinum A 255.1, 255.2 C 3H1H, 3111B, 3500-Pt B 48. Potassium A 200.7, 258.1 A1 200.7 C 311H, 3111B, 3500-K B, C, D, 3120B J 13630-84 1.3630-85 49. Residue, Total A 160.3 C 2540B J 1-3750-84, 1-3750-85 50. Residue, Filterable (TDS) A 160.1 C 2540C J 1-1750-84 1-1750-85 51. Residue, Nonfilterable (TSS) A 160.2 C 2540D J 1-3765-84 1-3750-85 52. Residue, Settleable Solids A 160.5 C 2540F 53. Residue, Volatile A 160.4 C 2540E J 1-3753-84 1-3753-85 54. Rhodium A 265.1, 265.2 C 3111H, 3111B, 3500-Rth B 55. Ruthenium A 267.1, 267.2 C 3111B, 3500-Rth B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 S1114B J 3850-8e C, H, I, 3120B 3114B J 3850-8e C, H, I, 3120B 3114B J 3859-88A			
A 200.7, 258.1	47. Platinum		
48. Potassium A 200.7, 258.1 Al 200.7 C 3111, 3111B, 3500-K B, C, D, 3120B I 3630-84 I-3630-85 49. Residue, Total A 160.3 C 2540B J 1-3750-84, I-3750-85 50. Residue, Filterable (TDS) A 160.1 C 2540C J 1-1750-84 I-1750-85 51. Residue, Nonfilterable (TSS) A 160.2 C 2540D J 1-3765-84 I-3765-85 52. Residue, Settleable Solids A 160.5 C 2540F 53. Residue, Volatile A 160.4 C 2540F 54. Rhodium A 265.1, 265.2 55. Ruthenium A 267.1, 267.2 56. Selenium A 200.7, 270.2, 270.3 Al 200.7, 200.8, 200.9 C 3113B, 3500-8c C, H, I, 3120B 3114B I D3859-88A			
Al 200.7 C 3111, 3111B, 3500-K B, C, D, 3120B J 1-3630-84 1-3630-85 49. Residue, Total A 160.3 C 2540B J 1-3750-84, 1-3750-85 50. Residue, Filterable (TDS) A 160.1 C 2540C J 1-1750-84 1-1750-85 51. Residue, Nonfilterable (TSS) A 160.2 C 2540D J 1-3765-84 1-3765-85 52. Residue, Settleable Solids A 160.5 C 2540F 53. Residue, Volatile A 160.4 C 2540E J 1-3753-84 1-3753-85 54. Rhodium A 265.1, 265.2 C 3111, 3111B, 3500-Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500-Rh B 56. Selenium A 200.7, 270.2, 270.3 Al 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B II D3859-88A	48 Potassium		
Residue, Total	10. I Oliasiani		
49. Residue, Total A 160.3 C 2540B J 1-3750-84, L-3750-85 50. Residue, Filterable (TDS) A 160.1 C 2540C J 1-1750-84 1-1750-85 51. Residue, Nonfilterable (TSS) A 160.2 C 2540D J 1-3765-84 1-3765-85 52. Residue, Settleable Solids A 160.5 C 2540F 53. Residue, Volatile A 160.4 C 2540B J 1-3753-84 1-3765-85 54. Rhodium A 265.1, 265.2 C 3111, 3111B, 3500-Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500-Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3114B, 3500-Se C, H, I, 3120B 3114B I D3859-88A			
49. Residue, Total A 160.3 C 2540B J 1-3750-84, 1-3750-85 50. Residue, Filterable (TDS) A 160.1 C 2540C J 1-1750-84 1-1750-85 51. Residue, Nonfilterable (TSS). A 160.2 C 2540D J 1-3765-84 1-3765-85 52. Residue, Settleable Solids A 160.5 C 2540F 53. Residue, Volatile A 160.4 C 2540E J 1-3753-84 1-3753-85 54. Rhodium A 265.1, 265.2 C 3111, 3111B, 3500-Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500-Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A			
C 2540B J 1-3750-84, 1-3750-85	40 75 15 70 . 1		
50. Residue, Filterable (TDS) Residue, Filterable (TDS) A 160.1 C 2540C J 1-1750-84 1-1750-85 51. Residue, Nonfilterable (TSS). A 160.2 C 2540D J 1-3765-84 1-3765-85 52. Residue, Settleable Solids A 160.5 C 2540F 53. Residue, Volatile A 160.4 C 2540E J 1-3753-84 1-3753-85 54. Rhodium A 265.1, 265.2 3111, 3111B, 3500-Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500-Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A	49. Residue, I otal		
50. Residue, Filterable (TDS) Residue, Nonfilterable (TSS) Residue, Nonfilterable (TSS) A 160.2 C 2540D J 1-3765-84 I-1750-85 51. Residue, Settleable Solids A 160.5 C 2540F 53. Residue, Volatile A 160.4 C 2540E J 1-3753-84 I-3753-85 54. Rhodium A 265.1, 265.2 Suthenium A 265.1, 267.2 C 3111, 3111B, 3500 Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500 Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A			2540B
C			I-3750-84, <u>I-3750-85</u>
51. Residue, Nonfilterable (TSS). Residue, Nonfilterable (TSS). A 160.2 C 2540D J 1-3765-84 1-3765-85 52. Residue, Settleable Solids A 160.5 C 2540F 53. Residue, Volatile A 160.4 C 2540E J 1-3753-84 1-3753-85 54. Rhodium A 265.1, 265.2 C 3111, 3111B, 3500 Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500 Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A	50. Residue, Filterable (TDS)		160.1
51. Residue, Nonfilterable (TSS). A 160.2 C 2540D J 1-3765-84 1-3765-85 52. Residue, Settleable Solids A 160.5 C 2540F 53. Residue, Volatile A 160.4 C 2540E J 1-3753-84 1-3753-85 54. Rhodium A 265.1, 265.2 C 3111, 3111B, 3500 Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500 Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A		C	2540C
C 2540D		J	I-1750-84 <u>I-1750-85</u>
C 2540D J 1-3765-84 1-3765-85 52. Residue, Settleable Solids A 160.5 C 2540F 53. Residue, Volatile A 160.4 C 2540E J 1-3753-84 1-3753-85 54. Rhodium A 265.1, 265.2 C 3111; 3111B, 3500 Rh B 55. Ruthenium A 267.1, 267.2 C 3111; 3111B, 3500 Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A	51. Residue, Nonfilterable (TSS)	Α	160.2
52. Residue, Settleable Solids A 160.5 53. Residue, Volatile A 160.4 C 2540F 53. Residue, Volatile A 160.4 C 2540E J 1.3753-84 1-3753-85 54. Rhodium A 265.1, 265.2 C 3111, 3111B, 3500 Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500 Ru B 56. Selenium A 200.7, 270.2, 270.3 Al 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A	•	С	2540D
52. Residue, Settleable Solids A 160.5 C 2540F 53. Residue, Volatile A 160.4 C 2540E J 1-3753-84 1-3753-85 54. Rhodium A 265.1, 265.2 C 3111, 3111B, 3500 Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500 Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A			
53. Residue, Volatile C 2540F 54. Rhodium A 2540E 55. Ruthenium A 265.1, 265.2 C 3111, 3111B, 3500 Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500 Ru B 56. Selenium A 200.7, 270.2, 270.3 Al 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A	52. Residue, Settleable Solids	A	
53. Residue, Volatile A 160.4 C 2540E J I-3753-84 I-3753-85 54. Rhodium A 265.1, 265.2 C 3111, 3111B, 3500 Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500 Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D 3859-88A			
54. Rhodium A 2540E 54. Rhodium A 265.1, 265.2 C 3111, 3111B, 3500 Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500 Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500 Se C, H, I, 3120B 3114B I D3859-88A	53 Recidue Volatile		
54. Rhodium J 1-3753-84 1-3753-85 54. Rhodium A 265.1, 265.2 C 3111, 3111B, 3500-Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500-Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A	33. Residue, Volunie		
54. Rhodium A 265.1, 265.2 C 3111, 3111B, 3500 Rh B 55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500 Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500 Se C, H, I, 3120B 3114B I D3859-88A			
55. Ruthenium C 3111, 3111B, 3500 Rh B 56. Selenium A 267.1, 267.2 C 3111, 3111B, 3500 Ru B A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500 Se C, H, I, 3120B 3114B I D3859-88A	64 D1 U		
55. Ruthenium A 267.1, 267.2 C 3111, 3111B, 3500-Ru B 56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A	34. Knodium		
C 3111, 3111B, 3500 Ru B A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500 Se C, H, I, 3120B 3114B I D3859-88A	## =		
56. Selenium A 200.7, 270.2, 270.3 A1 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A	55. Ruthenium		267.1, 267.2
A1 200.7, 200.8, 200.9 C 3113B, 3500-Se C, H, I, 3120B 3114B I D3859-88A		C	3111, 3111B, 3500-Ru B
C 3113B , 3500-Se C, H, I, 3120B 3114B I D3859-88A	56. Selenium	A	200.7, 270.2 , 270.3
C 3113B , 3500-Se C, H, I, 3120B 3114B I D3859-88A		Al	200.7, 200.8, 200.9
3114B I D3859-88A			3113B , 3500-Se-C, H, L 3120B
I D3859-88A			
		I	
· · · · · · · · · · · · · · · · · · ·			
			- · · · · · · · · · · · · · · · · · · ·

	-	•
57. Silica, Dissolved	A	200.7, 370.1
57. Sinca, Dissolved		•
	A1	200.7
	С	4500-Si D, G, 3120B
	Ι	D859-88
	J	I-1700-84, I-1700-85,
	-	I-2700-84 I-2700-85
50 011		
58. Silver	A	200.7, 272.1, 272.2
	A1	<u>200.7, 200.8, 200.9</u>
	С	3111, 3111B,C, 3113B, 3120B, 3500-Ag-B, C, D
	J	I-3720-85
50 C-1:	-	
59. Sodium	A	200.7, 273.1 , 273.2
	A1	200.7
	С	3111, <u>3111B</u> , 3500-Na B, C, D, 3120B
	1	D4191-82
	Ĵ	
20 A 1 1 1 1 1	=	I-3735-85
60. Sodium Azide	C	4110C
61. Sodium/Potassium Perchlorate	\mathbf{V}	300.0
60,62.Specific Conductance	Α	120.1
	C	2510B
	I	D1125-82A D1125-91A
	J	I-1780-84 I-1780-85
61.63.Strontium	AA1	200.7
	С	3111, 3500-Sr B, C 3120B
62.64.Sulfate	Ä	
02:04 .3uitate		375.1, 375.2, 375.3, 375.4
	A2	300.0
•	, C	4500-SO ₄ B, C, D, E
	I	D516-88 D516-90
	¥	300.0
62.65.001636		
63.65_Sulfide	A	376.1, 376.2
	С	4500-S D, 4500-S E
	J	I-3840-84 I-3840-85
64.66.Sulfite	Α	377.1
- · · · · · · · · · · · · · · · · · · ·	Č	4500-SO ₃ B
CE CO Su est este (3.00 4.0)		
65.67.Surfactants (MBAS)	Α	425.1
	С	5540C
	I	D2330-88
66-68 Temperature Degrees Celsius	A	170.1
00. <u>1111</u> 2 1 4.1.1 p 4.1.1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ċ	
244 25 PM 111		2550B
-67.69 .Thallium	A	200.7, 279.1, 279.2
	A1	200.7, 200.8, 200.9
	C	3111, 3111B, 3500 TLB, C, 3120B
68.70.Tin	A	282.1, 282.2 , 200.7
· · · · · · · · · · · · · · · · · · ·		
	A1	200.7, 200.9
	С	3111, 3111B, 3113B, 3500-Sn-B, 3120B
	J	I-3850-78
69.71.Titanium	A	283.1, 283.2
	C	3 111, 3111D, 3500-Ti-B
70 70 Tunkidire NETI		
70.72.Turbidity, NTU	A	180.1
	С	2130B
	I	D1889-88 D1889-88A
	J	I-3860-84 I-3860-85
71.73.Vanadium	A	200.7, 286.1, 286.2
· =		
	Al	200.7, 200.8
	С	3111, 3111D, 3500-V B, C, D, 3120B
	I	D3373-88 D4190-82
72.74. Zinc	A	200.7, 289.1, 289.2
	A1	
		200.7, 200.8, 200.9
	С	3111, 3111B,C 3113B, 3120B, 3500-Zn B, C, E,
		F
•	01	0000
	C1	<u>8009</u>

		I J	D1691-90A D1691-90A,B D4190-82 I-3900-85
C.	Aquatic toxicity and bioassay:	KEY	APPROVED METHOD
	1. Static, Static/Renewal and Flow-Through	С	8711, 8910
	2. Static and Flow-Through	M	Static and Flow-Through
	3. Static and Static Renewal	N	Static and Static Renewal
D.	Organic chemical:	KEY	APPROVED METHOD
	1. Halogenated Volatiles	E	601
	2. Aromatic Volatiles	Е	602
	3. Acrolein and Acrylonitrile	E	603
	4. Phenols	E	604
	5. Benzidines	E	605
	6. Phthalate Esters	E	606
	7. Nitrosamines	E	607
	Organochlorine Pesticides and PCBs	E	608
	9. Nitroaromatics and Isophorone	E	609
	10. Polynuclear Aromatic Hydrocarbons	E	610
	11. Haloethers	E	611
	12. Chlorinated Hydrocarbons	E	612
	13. 2, 3, 7, 8-Tetrachlorodibenzo-p-Dioxin	E	613
	14. Triazine Pesticides	E	619
	15. Purgeables	E	624, 1624
	16. Base/Neutrals and Acids	E	625, 1625
	17. Carbamates and Urea Pesticides	E	632
	18. Total Petroleum Hydrocarbons	Α	418.1
	19. Ethylene Glycol in Wastewater	K	BLS-188
E.	Radiochemical:	KEY	APPROVED METHOD
	1. Gross Alpha	С	7110B
	-	I	D1943-81 <u>D1943-90</u>
		L	900
	2. Gross Beta	С	7110B
		I	D1890-81 D1890-90
		L	900 <u>900.0</u>
	3. Total Radium	С	7500-Ra B
		I	D2460-70 D2460-90
		L	903 <u>903.0</u>
	4. Radium-226	С	7500-Ra C
		I	D3454-86 D3454-91
		L	903.1

R9-14-610. R9-14-611. Solid, Liquid and Hazardous Waste Sample Matrix

Every laboratory which conducts compliance testing under this rule

shall	use the following	approved methods,	unless required by per-
	Microbiology:	•	KEY
	Total Californ	na:	

	Total Coliforms:		
	Multiple Tube Fermentation	F	9131
	Membrane Filter	F	9132
B.	Hazardous waste characteristics:	KEY	APPROVED METHOD
	1. Corrosivity:		
	pH determination	F	9040, <u>9040A,</u> 9041 <u>9041A</u>
	corrosive to steel	F	1110
	Dermal	E	1120
	2. Ignitability	F	1010, 1020 <u>1020A, 1030</u>
	3. Reactivity	F	Reactivity
C.	Sample extraction procedures:	KEY	APPROVED METHOD
	Extraction Procedure		
	Toxicity (EP TOX)	F	1310 <u>1310A</u>
	2. Toxicity Characteristic		
	Longhing Decodure (TCLD)	T	1211

mit, or unless a method falls under the alternate specifications pursuant to R9-14-608(A) or (B). To locate the source of the approved method, cross reference the capital letter listed under "KEY" to the reference designation listed in R9-14-607(A) R9-14-608(C).

APPROVED METHOD

Э.	Reactivity	r	Reactivity
Sample extraction procedures:		KEY	APPROVED MET
1.	Extraction Procedure		
	Toxicity (EP TOX)	F	1310 1310A
2.	Toxicity Characteristic		
	Leaching Procedure (TCLP)	F	1311
3.	Multiple Extraction Procedure	F	1320

			-	3
	4.	Extraction Procedure For Oily Waste	F	1330 1330A
	5.	Synthetic Precipitation Leaching Procedure	-	2000 10000
		(SPLP)	E	1312
D.	Met	tals sample preparation:	KEY	
	1.	Dissolved in Water	F	APPROVED METHOD
	2.	Total Recoverable in Water		3005 3005 A
	3.	Total Metals	F	3005 3005A
	<i>3</i> .		F	3010, <u>3010A</u> , <u>3020</u> <u>3120A</u>
		Oils, Greases, and Waxes	F	3040 <u>3031</u>
	5.	Sediments, Sludges, and Soils	F	3050 3050A
~	<u>6</u> -	Microwave Assisted Digestions	E	<u>3015, 3051, 3052</u>
E.		rganic chemical:	KEY	APPROVED METHOD
	1.	Aluminum	F	6010, <u>6010A, 6020,</u> 7020
	2.	Antimony	F	6010, <u>6010A, 6020,</u> 7040, 7041, <u>7062</u>
	3.	Arsenic	F	6010, 6010A, 7060, 7060A, 7061, 7061A, 7062,
				7063, 6020, 7061
	4.	Barium	F	6010, 6010A, 6020, 7080, 7080A, 7081
	5.	Beryllium	F	6010, <u>6010A, 6020,</u> 7090, 7091
	6.	Cadmium	F	6010, 6010A, 6020, 7130, 7131 7131A
	7.	Calcium	F	6010, 6010A, 7140
	8.	Chromium, Total	F	6010, 6010A, 6020, 7190, 7191
	9.	Chromium, Hexavalent	F	7195, 7196, <u>7196A</u> , 7197, 7198 <u>, 7199</u>
		Cobalt	F	6010 6010 4 6000 7000 7001
		Copper	F	6010, 6010A, 6020, 7200, 7201
		Iron	F	6010, 6010A, 6020, 7210, 7211
		Lead		6010, 6010A, 7380, 7381
		Lithium	F	6010, <u>6010A, 6020,</u> 7420, 7421
			<u>F</u>	6010, <u>6010A</u> , 7430
		Magnesium	F	6010, <u>6010A</u> , 7450
		Manganese	F	6010, <u>6010A, 6020,</u> 7460, 7461
		Mercury	F	7470, 7470A, 7471 <u>7471A, 7472</u>
		Molybdenum	F	6010, <u>6010A</u> , 7480, 7481
		Nickel	F	6010, <u>6010A, 6020,</u> 7520, 7521
		Osmium	F	6010, <u>6010A</u> , 7550
		Potassium	F	6010, <u>6010A</u> , 7610
	22.	Selenium	F	6010, 6010A, 7740 , 7741 7741A, 7442
	23.	Silver	F	6010, 6010A, 6020, 7760, 7760A, 7761
	24.	Sodium	F	6010, 6010A, 7770
	25.	Strontium	F	6010, <u>6010A</u> , 7780
	26.	Thallium	F	6010, <u>6010A, 6020,</u> 7840, 7841
	27.	Tin	F	6010, <u>6010A</u> , 7870
	28.	Vanadium	F	6010, <u>6010A</u> , 7910, 7911
		Zinc	F	6010, 6010A, 6020, 7950, 7951
		White Phosphorus By GC	Ē	7580
F.		aple preparation and extraction:	KEY	APPROVED METHOD
	1,	Preparation and Extraction	F	
	2.	Funnel Liquid-Liquid Extraction	F	3500 3500A
	3.	Continuous Liquid-Liquid Extraction		3510 3510B
	4.	Solid Phase Extraction	F	3520 3520B
			E	3535
		Soxhlet Extraction	F	3540 3540B, 3541
		Accerated Solvent Extraction	E	<u>3545</u>
		Sonication Extraction	F	3550 <u>3550A</u>
	8.	Supercritical Fluid Extraction	E	<u>3560, 3561</u>
		Waste Dilution	F	3580, 3580, 3585
		Purge and Trap	F	5030, <u>5030A</u>
		Sorbent Cartridges from Organic Sampling Train	F	5040, <u>5041</u>
		Cyanide Extraction for Solids and Oils	E	9013
		Bomb Preparation Method for Solid Waste	E	5050
G.		ple cleanup:	KEY	APPROVED METHOD
	1.	Cleanup	F	3600 3600B
	2.	Alumina Column	F	3610 3610A
	3.	Alumina Column - Petroleum Wastes	F	3611 3611A

	4. Florisil Column	. F	3620 <u>3620A</u>
	5. Silica Gel Cleanup	F	3630
	6. Gel-Permeation Cleanup	F	3640 <u>3640A</u>
	7. Acid-Base Partition	F	3650 3650A
	8. Sulfur Cleanup	F	3660 3660A
	9. Sulfuric Acid/Permanganate Cleanup	E	3665
H.	Organic chemical:	KEY	APPROVED METHOD
	1. Halogenated Volatile Organics	F	8010
	2-1. EDB and DBCP	F	8011
	3-2. Nonhalogenated Volatile Organics	F	8015 8015A, 8015M
		F	8020
		F	
	5.3. Volatile Organics	_	8021, 8021A, 8240, 8260 8260A
	6.4. Acrolein/Acrylonitrile/Acetonitrile	F	8030, <u>8316</u>
	5. Acrylonitrile	E	8031
	6. Acrylamide	E	8032
	7. Acetonitrile	E	8033
	7.8. Phenols	F	8040 <u>8041</u>
	8-9. Phthalate Esters	F	8060 <u>8061</u>
	9-10 Nitrosamines	F	8070, <u>8330</u>
	10.11_Organochlorine Pesticides and PCBs	F	8080, <u>8081, 8082</u>
	12. PCBS in Waste Oil	E1	EPA-600/4-81-045
	11-13. Nitroaromatics and Cyclic Ketones	F	8090 <u>8330, 8091</u>
	12.14.Polynuclear Aromatic Hydrocarbons	F	8100, 8310
	13.15.Haloethers	F	8110, <u>8111</u>
	14-16.Chlorinated Hydrocarbons	F	8120, <u>8121</u>
	15-17 Organophosphorus Pesticides	F	8140, 8141 8141A
	16.18 Chlorinated Herbicides	F	8150, <u>8151</u>
	17.19 Semivolatile Organics GC/MS	F	8250, 8270 8270B, 8275A
	20. Semi-Volatiles by GC/FT-IR	E	8410
	18-21 Polychlorinated Dibenzo-P-Dioxins and		
	Polychlorinated Dibenzofurans	F	8280, 8290
	22. Caronyl Compounds	Ē	8315
	23. N-Methylcarbamates	Ē	8318
	24. Non-Volatile Organics	Ē	8331, 8325
	(HPLC/TSP/MS) HPLC/PB/MS)	-	Maria de Maria de Carla de Carla de
	25. Tetrazine	E	8331
	19-26 Total Petroleum Hydrocarbons in Soil	ĸ	BLS-181 418.1AZ, 8440
	20.27.Fuel Class Hydrocarbons	K	BLS-191
	28. Trinitrotoluene	E	
			<u>4050</u>
	29. RDX By Immunoassay	E	<u>4051</u>
	30. Aniline and Derivatives	Ē	8131
	31. Nitroglycerine	Ē	8332
	32. Bis (2-chlorethyl) Ether Hydrolysis Products)	E	8430
I.	Organic chemical screening:	KEY	APPROVED METHOD
	1. Headspace	F	3810 <u>, 5021</u>
	2. Purgeables after Hexadecane Extraction	F	3820
	Semivolatile Organics TC/MS	E	<u>8275</u>
	4. Immunoassay	E	4010, 4015, 4020, 4030,
			<u>4035, 4040, 4041, 4042</u>
	Polychlorinated Biphenyls	E	<u>9078, 9079</u>
	6. Trinitrotoluene	E	<u>8515</u>
J.	Miscellaneous:	KEY	APPROVED METHOD
	1. Total and Amenable Cyanide	F	9010, <u>9010A</u> , 9012, 9213
	2. Total Organic Halides (TOX)	F	9020, 9020B, 9022
	3. Purgeable Organic Halides (POX)	F	9021
	4. Extractable Organic Halides (EOX)	E	9023
	4.5. Sulfides	F	9030, 9030A, 9031, 9215
	5.6. Sulfate	F	9035, 9036, 9038, 9056
	6.7. pH (Hydrogen ion)	F	9040, 9040A, 9041, 9041A, 9045 9045B
	7-8. Specific Conductance	F	9050
	•		

Notices of Proposed Rulemaking

	9.0 Total Organia Carbon (TOC)	F	0070
	8.9 Total Organic Carbon (TOC)		9060
	9-10.Phenolics	F	9065, 9066, 9067
	10-11. Total Recoverable Oil and Grease	F	9070, 9071 9071A
	11.12.Nitrate	F	9200, <u>9210, 9056</u>
	13. Nitrite	E	<u>9056</u>
	12.14.Chloride	F	9250, 9251, 9252, <u>9252A, 9057, 9212</u>
	15. Bromide	E	9056, 9211
	16. Fluoride	E	9056, 9211
	17. Total Chlorine in New and Used Petroleum		
	Products	E	9075, 9076, 9077
	18. Cation-Exchange Capacity of Soils	E	9080, 9081
	19 Compatibility Test for Wastes and Membrane		
	Liners	E	<u>9090A</u>
	20. Paint Filter Liquids Test	E	<u>9095</u>
	21. Liquid Release Test Procedure	E	<u>9096</u>
	22. Saturates Hydraulic and Leachate Conductivity		
	and Instrinsic Permeability	E	9100
	23. Chloride	E	<u>9056</u>
	24. O-Phosphate-P	E	<u>9056</u>
K.	Asbestos:	KEY	APPROVED METHOD
	1. Fiber Counting	G	7400, 7402
	2. Bulk Asbestos	G	9002
		H	Bulk Asbestos
L.	Radiochemical:	KEY	APPROVED METHOD
	Gross Alpha and Beta	F	9310
	2. Alpha-Emitting Radium Isotopes	F	9315
	3. Radium-228	F	9320

R9-14-611.R9-14-612.Air Sample Matrix

Every laboratory which conducts compliance testing under this rule shall use the following approved methods, unless a method falls under the alternate specifications pursuant to R9-14-608(A) or (B).

To locate the source of the approved method, cross reference the capital letter listed under "KEY" to the reference designation listed in R9-14-607(A) R9-14-608(C).

und	er the	alternate specifications pursuant to R9-14-608(A) or (B).	
A.	Aml	bient air primary and secondary pollutants:	KEY	APPROVED METHOD
	1.	Carbon Monoxide	0	Appendix C
	2.	Hydrocarbons	О	Appendix E
	3.	Lead	0	Appendix G
	4.	Nitrogen Dioxide	О	Appendix F
	5.	Ozone	0	Appendix D, H
	6.	Particulate Matter	0	Appendix B, J, K
	7.	Sulfur Oxides	0	Appendix A
	8.	Formaldehyde	E	8520
B.	Stat	ionary and stack sources:	KEY	APPROVED METHOD
	1.	Carbon Dioxide, Oxygen and Excess Air	Q	Method 3,-31
	2.	Carbon Monoxide	Q	Method 10, 10A, 10B
	3. Carbonyl Sulfide, Hydrogen Sulfide,			
		and Carbon Dioxide Disulfide	Q	Method 15
	4.	Fluoride	Q	Method 13A, 13B, 14
	5.	Fugitive Emissions	Q	Method 22
	6.	Gaseous Organic Compounds	Q Q	Method 18, 25, 25A, 25B
	7.	Hydrogen Sulfide	Q	Method 11, 15
	8.	Inorganic Lead	Q	Method 12
	9.	Moisture Content	Q	Method 4
	10.	Nitrogen Oxide	Q	Method 7, 7A, 7B, 7C, 7D, 7E, 19, 20
	11.	Particulate Emissions:		
		Asphalt Processing	Q	Method 5A
		Fiberglass Insulation		Method 5E
		Nonsulfate	Q	Method 5F
		Nonsulfuric Acid	Q	Method 5B
		Pressure Filters	Q Q Q	Method 5D
		Stationary Sources	Q	Method 5, 17
		Sulfur Dioxide	Q	Method 19

		Wood Heaters	Q	Method 5G, 5H
	12.	Sulfur and Total Reduced Sulfur	Ò	Method 15A, 16, 16A, 16B
	13.	Sulfur Dioxide	Q	Method 6, 6A, 6B, 6C, 8, 19, 20
	14.	Sulfuric Acid Mist	Q	Method 8
	15.	Vapor Tightness Gasoline Delivery Tank	Q	Method 27
	16. Volatile Matter, Density Solids and Water		Q	Method 24, 24A
	17. Volatile Organic Compounds		Q	Method 21
	18.	Wood Heaters Certification and Burn Rates	Q	Method 28, 28A
C.	AD	EQ emission tests:	KEY	APPROVED METHOD
	1.	Particulate Emissions:		
		Sulfuric Acid Mist/Sulfur Oxides	R	Method Al
		Dry Matter	R	Method A2
D.	Nat	ional emission standards for hazardous air pollutants:	KEY	APPROVED METHOD
	1.	Arsenic	S	Method 108, 108A
	2.	Beryllium	S	Method 103, 104
	3.	Mercury	S	Method 101, 101A, 102, 105
	4.	Polonium-210	S	Method 111
	5.	Vinyl Chloride	S	Method 106, 107, 107A

R9-14-612. R9-14-613. Quality Assurance

- A. The laboratory shall have a written quality assurance plan that describes actions to be taken by the lab to ensure that routinely generated analytical data are scientifically valid and defensible and are of known and acceptable precision and accuracy. The written plan shall contain:
 - A title page identifying the laboratory, date of preparation, date of review and the laboratory director's signature of approval;
 - A table of contents;
 - A detailed statement of the laboratory organization, line of authority, and identification of principal quality assurance personnel;
 - A statement of quality assurance objectives, including data quality objectives with precision and accuracy goals and criteria for the laboratory to judge the acceptability of each testing;
 - 5. Specifications for:
 - a. The use of proper sample containers;
 - b. The proper preparation of sample containers;
 - The proper preservation of samples; and
 - d. Compliance sample maximum allowable holding times;
 - A procedure for documenting laboratory receipt of samples and tracking of samples throughout laboratory testing;
 - A procedure for analytical instrument calibration and frequency;
 - A listing of all compliance testing parameters and approved methods performed by the laboratory A copy of the laboratory's current license and list of licensed parameters;
 - A listing of the procedures for compliance testing data reduction, validation, and reporting. These procedures shall include the identification and treatment of data outliers and the procedures for determining completeness and accuracy of data transcription and all calculations;
 - A statement of the frequency of use and acceptance tolerance of all compliance testing quality control checks;
 - 11. Preventive maintenance procedures and schedules;
 - 12. Assessment procedures for data acceptability;
 - 13. Corrective action procedures taken when results from analytical quality control checks are unacceptable. These procedures shall include the steps taken to demonstrate the presence of any interference if the precision, accuracy, or the practical quantitation limit of the reported

compliance testing result is affected by the interference; and

- 14. Procedures for chain-of-custody documentation, including procedures for the documentation and reporting of any deviation from the sample handling or preservation requirements listed in this Section.
- **B.** The laboratory shall:
 - Have available on the premises all methods, equipment, reagents, and glassware necessary for the compliance testing for which the laboratory is licensed or is requesting licensure, unless it documents its ability to perform the approved method and ensures that the analytical data generated are scientifically valid and defensible and are of known and acceptable precision and accuracy in a petition for an exemption from this subsection only;
 - Use only reagents of a grade equal to or greater than that called for by the approved methods referenced in R9-14-608 R9-14-609 through R9-14-611 R9-14-612;
 - Maintain complete and current Standards Operating Procedures (SOP's) for all licensed methods;
 - 3-4. Calibrate equipment according to the manufacturer's specifications and as required by the approved method;
 - 4-5. Maintain calibration logs available for on-site review. Calibration and documentation thereof by a laboratory instrument service organization is acceptable;
 - 5-6. Develop, and document, and maintain current method detection limits and the practical quantitation limit for each compliance parameter, approved method and sample matrix for each instrument of use;
 - 6-7. Maintain all compliance testing equipment in good working order; and
 - 7-8. Maintain quality control charts which demonstrate the accuracy and precision of its compliance testing.:
 - 9. If a laboratory tests for a parameter for which quality control acceptance criteria are not specified, the laboratory must statistically develop limits from historical data. The mean and standard deviation for a minimum of 20 data points, excluding statistical outliers, must be determined. The limits shall be the mean + 3 (or less) standard deviations and shall be in the detectable range; and
 - Discard or segregate all expired standards or reagents from all compliance testing.

R9-14-613. R9-14-614. Operation

A. All samples accepted by a laboratory for compliance testing shall be analyzed by that laboratory, except that samples, other

- than those submitted for performance evaluation audit purposes, may be forwarded to another laboratory licensed under this Article or certified by EPA for examination.
- B. If the laboratory performing an examination is not the laboratory which accepted the sample, all reports shall include the name and address of the laboratory accepting the sample and the name and address of the laboratory actually examining the sample.
- C. The laboratory shall:
 - Maintain the facility and utilities required for proper equipment operation and use of compliance testing approved methods;
 - Provide ventilation and environmental controls such that laboratory conditions do not affect analytical results beyond established quality control limits established for the approved methods listed in R9-14-609 R9-14-609 through R9-14-611 R9-14-612; and
 - Provide for storage, handling, and disposal of hazardous materials in accordance with all state and federal regulations.; and
 - Maintain documentation that all analytical personnel involved in compliance testing have been trained in the test procedures prior to performing unmonitored testing. Documentation shall include:
 - Summary of analyst's education and professional experience;
 - Verification of the analyst's review of the laboratory
 Quality Assurance Plan, and the approved methods
 and laboratory Standard Operating Procedures used
 by the analyst for compliance testing;
 - c. Verification of the analyst's completion of monitored training which includes the actual use of the equipment and the use of proper laboratory technique. Verification shall include the name of the instructor, the duration of the training, and the date of the completion of the training;
 - d. Verification of the analyst's completion of training classes, continuing education courses, seminars, and/or conferences, which relate to the testing procedures used by the analyst for compliance testing.
 - Verification of the analyst's successful completion of Initial Demonstration of Capability as required by the approved methods;
 - f. Records of analysis of proficiency evaluation samples.

R9-14-614, R9-14-615. Laboratory Records and Reports

- A. Records and reports required to be maintained by this Article shall be available for inspection and copying during normal business hours by representatives of the Department. Copied records can be removed the laboratory by the Department.
- B. Records and reports of compliance testing shall be kept by the laboratory for at least five years. Records and reports for the most current two years shall be kept on-site and the remaining records and reports may be stored in a secure and easily accessible storage facility.
- C. If Arizona compliance data is not available for inspection and copying, the laboratory shall make available for inspection and copying any current non-Arizona compliance data requested by Department representatives to evaluate methods and procdures applied for by the laboratory.
- C.D. Compliance testing records shall contain:
 - Sample information including a unique sample identification assigned by the laboratory, location or location code of sample collection, sample collection date and time, type of testing to be performed and the name of person who collected the sample;

- 2. The name and address of the facility or person submitting the sample to the laboratory;
- The date, time and name of the person who receives the sample into the laboratory;
- The date and time of testing;
- The actual results of compliance testing, including all raw data, work sheets, and calculations performed;
- The actual results of quality control data validating the test results including calibration and calculations performed;
- The name of the person or persons performing the test;
 and
- 8. A copy of the final report.
- D-E Complete laboratory personnel records shall be maintained as
 - 1. Academic training,
 - 2. Experience,
 - 3. Qualifications, and
 - 4. Applicable certifications and/or specialized training.
- **E.F.** Analytical instrumentation performance records shall be maintained to demonstrate consistent standardization performance with standard standardized reference materials.
- F.G. Reports of compliance testing shall contain:
 - Laboratory name, address, and telephone number;
 - 2. Laboratory license number issued by the Department;
 - Result of compliance testing in appropriate units of measure:
 - a. Actual scientifically valid and defensible result of compliance testing in appropriate units of measure, obtained in accordance with the approved method and the laboratory Quality Assurance Plan by use of proper laboratory technique.
 - b. Any result not obtained in accordance with the approved method and the laboratory Quality Assurance Plan by use of proper laboratory technique shall documented as such on the report.
 - A listing of each approved method used associated with the reported result;
 - Sample information including the unique sample identification assigned by the laboratory, location or location code of sample collection, sample collection date and time, the name of the person who collected the sample, and the facility or person who submitted the sample to the laboratory;
 - 6. The date of the final report; and
 - 7. Laboratory director's or designee signature.

R9-14-615. R9-14-616. Laboratory Safety

Licensed environmental laboratories shall comply with all applicable federal, state and local regulations regarding occupational safety and health.

R9-14-616. R9-14-617. Mobile Laboratories

- A. A laboratory license is required for each mobile laboratory, unless the laboratory owner chooses the single licensure option described in R9-14-605(B) R9-14-606(B). All requirements of this Article shall be met by the mobile laboratory.
- B. The owner of the mobile laboratory shall provide to the Department, upon request, information as to the location and scope of compliance testing performed by the mobile laboratory.

R9-14-617. R9-14-618. Out-of-state Environmental Laboratory Licensure

A. Out-of-state laboratories applying for an initial license or a renewal license shall comply with the requirements of A.R.S. §§ 36-495 through 36-495.15 and this Article.

- B. In addition to licensure fees, an out-of-state laboratory shall pay all actual expenses incurred by the Department as a result of its location in another state.
- C. An out-of-state laboratory shall post a bond in an amount sufficient to cover all <u>investigation and routine</u> inspection costs

incurred by the Department during the licensure period of that laboratory or all actual expenses incurred by the Department after the Department has performed an on-site investigation.

NOTICE OF PROPOSED RULEMAKING

TITLE 15. REVENUE

CHAPTER 5. DEPARTMENT OF REVENUE TRANSACTION PRIVILEGE AND USE TAX SECTION

PREAMBLE

 1.
 Sections Affected
 Rulemaking Action

 R15-5-1301
 New Section

 R15-5-1302
 Amend

 R15-5-1303
 Repeal

 R15-5-1304
 Amend

 R15-5-1305
 Amend

2. The specific authority for the rulemaking, including both the authorizing statute (general) and the statutes the rules are implementing (specific): authorizing statute:

Authorizing statutes: A.R.S. §§ 42-105 and 42-1303

Implementing statute: A.R.S. § 42-1310.05

3. The name and address of agency personnel with whom persons may communicate regarding the rulemaking:

Name:

Christie Comanita, Tax Analyst

Location:

Tax Research and Analysis Section

Department of Revenue 1600 West Monroe Phoenix, Arizona 85007

Telephone:

(602) 542-4672

Fax:

(602) 542-4680

4. An explanation of the rules, including the agency's reasons for initiating the rules:

The rules provide guidance in the application of the transaction privilege tax to persons engaged in business under the publication classification. As a result of the Department's 5-year review of Article 13, the Department is proposing to repeal and amend antiquated and repetitive rules.

5. A showing of good cause why the rules are necessary to promote a statewide interest if the rules will diminish a previous grant of authority of a political subdivision of this state:

Not applicable.

6. The summary of the economic, small business, and consumer impact:

Identification of the Rulemaking:

As a result of the Department's 5-year review of Article 13, the Department is proposing to repeal and amend antiquated and repetitive rules.

Summary of Information in the Economic, Small Business, and Consumer Impact Statement:

It is expected that the benefits of the rules will be greater than the costs. The repeal and amendment of these rules will benefit the public by eliminating repetitive and obsolete rules which no longer serve their intended purpose. The Department will incur the costs associated with the rulemaking process. Taxpayers are not expected to incur any expenses in the repeal and amendment of these rules.

7. The name and address of agency personnel with whom persons may communicate regarding the accuracy of the economic, small business, and consumer impact statement:

Name:

Christie Comanita, Tax Analyst

Location:

Tax Research and Analysis Section

Department of Revenue 1600 West Monroe Phoenix, Arizona 85007

Notices of Proposed Rulemaking

Telephone:

(602) 542-4672

Fax:

(602) 542-4680

8. The time, place, and nature of the proceedings for the adoption, amendment, or repeal of the rule, or, if no proceeding is scheduled, where, when, and how persons may request an oral proceeding on the proposed rules:

The Department has not scheduled any oral proceedings. Written comments on the proposed rules or preliminary economic, small business, and consumer impact statements may be submitted to the person listed above. Pursuant to A.R.S. § 41-1023(C), the Department will schedule oral proceedings if 5 or more people file written requests for oral proceedings within 30 days after this publication.

- 9. Any other matters prescribed by statute that are applicable to the specific agency or to any specific rule or class of rules:
- 10. Incorporations by reference and their location in the rules:

 None
- 11. The full text of the rules follows:

TITLE 15. REVENUE

CHAPTER 5. DEPARTMENT OF REVENUE TRANSACTION PRIVILEGE AND USE TAX SECTION

ARTICLE 13. SALES TAX PUBLICATION PUBLISHING CLASSIFICATION

R15-5-1301-R15-5-1303. Definitions

R15-5-1302. General

R15-5-1304. Printing costs Costs

R15-5-1305. Out-of-state Distribution

ARTICLE 13. SALES TAX PUBLICATION PUBLISHING CLASSIFICATION

R15-5-1301.R15-5-1303.Definitions

For purposes of this rule, the following definitions apply:

- A.1 "Carriers" means persons who deliver publications to individual subscribers. The deliveries are confined to a specific area or route. A "publisher" is one who manufactures and distributes a publication from a point within this state.
- B.2. "Other vendors" means persons who deliver publications to retailers such as those operating newsstands, convenience markets, drug stores, and coin-operated vending machines. The term "publication" includes books, newspapers, magazines, music, periodicals, and any other literary work.
- C.3. "Publication" means any literary work published, including newspapers, magazines, music, and periodicals. "Publication" does not include books. Effective 9/12/75, the term "publication" shall specifically exclude books. Sales of books directly to a final consumer, however, are taxable under the retail classification (see Article 18).
- **D.4.** "Publisher means a person that issues or causes to be issued a publication in this state.

R15-5-1302. General

A. The gross income derived from A person engaged in the business of publishing within the state is subject to tax taxable

- under this classification on the gross income received from notices and subscriptions. Gross income includes revenue from subscriptions, notices, and local advertising.
- B. The sale of publications, whether directly or through other venders, to newsstands, convenience markets, drug stores, or other retailers for resale in the ordinary course of business is not subject to tax under this classification. The sale of the publication by the retailers to consumers is subject to tax as a retail sale.
- C. Subscription income includes all circulation revenue. In determining the tax taxable base, the taxable shall exclude however, there shall be excluded from such revenue those actual amounts retained by or credited to carriers and other vendors as compensation for delivery or sale of the publications newspapers.

1. Carriers are defined as those persons who deliver newspapers to individual subscribers. Such deliveries are confined to a specific area or route.

- Other vendors are defined as those persons who deliver newspapers to retailers such as newsstands, convenience markets, drug stores, and to coin operated vending machines located in or near commercial establishments such as office buildings, hotels, motels, grocery, and department stores.
- C. Income of publishers from sales of newspapers, whether directly or through other vendors, to newsstands, convenience markets, drug stores, or other retailers are taxable under this classification. The sale of newspapers by such retailers to are taxable as retail sales. (See R15-5-1802(C)).

R15-5-1304. Printing Costs

The cost of printing a publication, including the subletting of printing to another person, is not deductible form the gross income A publisher shall not deduct the cost of printing a publication, including the cost of subletting the printing to another person, from the tax base.

Notices of Proposed Rulemaking

NOTICE OF PROPOSED RULEMAKING

TITLE 19. ALCOHOL, HORSE AND DOG RACING, LOTTERY, AND GAMING

CHAPTER 3. ARIZONA STATE LOTTERY COMMISSION

PREAMBLE

Sections Affected

Rulemaking Action

R19-3-402

New Section

2. The specific authority for the rulemaking, including both the authorizing statute (general) and the statutes the rules are implementing (specific): authorizing statute:

Authorizing statute: A.R.S. § 5-504(B)

Implementing statute: A.R.S. § 5-504(B)

3. The name and address of agency personnel with whom persons may communicate regarding the rulemaking:

Name:

Sandy Williams, Executive Director

Location:

Arizona State Lottery Commission

4740 East University Drive Phoenix, Arizona 85034

Telephone:

(602) 921-4400

Fax:

(602) 921-4488

4. An explanation of the rules, including the agency's reasons for initiating the rules:

R19-3-402 sets forth provisions unique to the conduct of the Arizona Lottery's on-line Bingo game. The provisions of this rule are necessary to implement the requirements of A.R.S. § 5-504(B) which have not been specified generically in R19-3-401. The unique provisions described in these rules are the nature and location of play symbols and the methods of selecting a winning ticket.

5. A showing of good cause why the rules are necessary to promote a statewide interest if the rules will diminish a previous grant of authority of a political subdivision of this state:

Not applicable.

6. The summary of the economic, small business, and consumer impact:

This game will provide our players with an additional on-line game from which to choose. The only impact this rule has upon Lottery retailers is to specify how they determine if a ticket is a winning ticket and, if so, the prize amount.

7. The name and address of agency personnel with whom persons may communicate regarding the accuracy of the economic, small business, and consumer impact statement:

Name:

Sandy Williams, Executive Director

Location:

Arizona State Lottery Commission 4740 East University Drive

Phoenix, Arizona 85034

Telephone:

(602) 921-4400

Fax:

(602) 921-4488

8. The time, place, and nature of the proceedings for the adoption, amendment, or repeal of the rule, or, if no proceeding is scheduled, where, when, and how persons may request an oral proceeding on the proposed rules:

Date:

December 20, 1996

Time:

10 a.m.

Location:

Arizona State Lottery Commission

4740 East University Drive

Phoenix, Arizona

Nature:

Public hearing

9. Any other matters prescribed by statute that are applicable to the specific agency or to any specific rule or class of rules:

Close of record is 5 p.m., December 19, 1996, for written comments and the close of the open meeting on December 20, 1996, for verbal comments.

10. Incorporations by reference and their location in the rules:

Not applicable.

11. The full text of the rules follows:

TITLE 19. ALCOHOL, HORSE AND DOG RACING, LOTTERY, AND GAMING

CHAPTER 3. ARIZONA STATE LOTTERY COMMISSION

ARTICLE 4. ON-LINE LOTTERY GAMES

Section

R19-3-402. "Bingo"

ARTICLE 4. ON-LINE LOTTERY GAMES

R19-3-402. "Bingo"

A. Definitions

- 1. "BINGO" means an on-line game in which 24 play symbols of a 75 play symbol matrix are selected as a game card.
- 2. "Drawing" means the process used to randomly select winning play symbols from the defined game matrix.
- "Game card" means the area on the ticket which contains the grid in which 24 randomly selected play symbols are printed. There may be more than 1 game card on a ticket.
- 4 "Multiple winners" means a situation in which more than
 1 claimant redeems the same predetermined prize
- 5 "Play symbols" means the numbers, letters, or characters printed on each game card of a ticket that determine if a player is entitled to a prize.
- "Ticket" means paper stock issued from a terminal by a licensed Lottery agent bearing 1 or more game cards.

B. Ticket purchase and characteristics

- To play the on-line "Bingo" game, a player shall indicate the following by verbally communicating to the retailer:
 - The number of tickets the player wishes to purchase, and
 - The number of advance plays, if applicable.
- 2. A unique serial number shall be printed on the front of the ticket that shall distinguish it from every other ticket.
- A retailer shall issue, from an authorized Lottery terminal, a ticket containing 1 or more game play areas ("game cards") as specified in the Game Profile, each of which shall contain 24 randomly selected play symbols from a matrix of 75 play symbols and a "FREE" play symbol.
 - a. The 24 randomly selected play symbols shall be printed on each of the play cards forming a grid of 5 rows and 5 columns.
 - b. The 3rd play symbol in the 3rd column shall be the symbol "FREE".
- On-line Bingo tickets may not be voided or canceled.

C. Game playstyle and determination of a winning ticket

- A player shall win the prize or prizes indicated by matching the play symbols in the play area to the play symbols that appear in 1 or more of the following patterns as indicated in the Game Profile:
 - a. Five consecutive play symbols, including the "FREE" play symbol, if appropriate, in any horizontal, vertical, or diagonal line as illustrated in Exhibit "1"; or
 - Play symbols in all 4 corners as illustrated in "Exhibit 2"; or
 - c. All 5 consecutive play symbols in the top row, the bottom row, and the 1st and 5th columns forming an outer frame pattern as illustrated in "Exhibit 3"; or
 - d. The 2nd, 3rd, and 4th play symbols in the 2nd row and in the 4th row, the 2nd, 3rd, and 4th play sym-

- bols in the 2nd column and the 4th column, forming an inner frame pattern as illustrated in "Exhibit 4"; or
- e. The 1st, 2nd, 4th, and 5th play symbols in the 1st, 2nd, 4th, and 5th rows, forming a box pattern in each of the 4 corners as illustrated in "Exhibit 5"; or
- f. The 3rd play symbol in the 1st and 5th rows, the 2nd and 4th play symbols in the 2nd and 4th rows, and the 3rd play symbol in the 1st and 5th columns, forming a diamond pattern as illustrated in "Exhibit 6"; or
- g. The 3rd, 4th, and 5th play symbols in the 1st and 5th columns, the 2nd and 4th play symbols in the 2nd and 4th columns, the 1st and 4th play symbols in the 3rd column, forming an "A" pattern as illustrated in "Exhibit 7"; or
- h. The 1st, 2nd, 3rd, 4th, and 5th play symbols in the 1st and 5th rows, and the 1st play symbols in the 2nd, 3rd, and 4th rows, forming a "C" pattern as illustrated in "Exhibit 8"; or
- i. The 1st, 2nd, 3rd, 4th, and 5th play symbols in the 1st column, and the 2nd, 3rd, 4th, and 5th play symbols in the 5th row, forming an "L" pattern as illustrated in "Exhibit 9"; or
- j. The 1st, 2nd, 3rd, 4th, and 5th play symbols in the 1st and 5th columns, and the 3rd play symbol in the 2nd and 4th columns, and the "FREE" play symbol, forming an "H" pattern as illustrated in "Exhibit 10";
- k. The 1st, 2nd, 3rd, 4th, and 5th play symbols in the 1st row, and the 2nd play symbol in the 3rd column, the "FREE" play symbol, and the 4th and 5th play symbols in the 3rd column, forming a "T" pattern as illustrated in Exhibit "11"; or
- Five consecutive play symbols in both diagonals forming an "X" pattern as illustrated in "Exhibit 12"; or
- m. The 1st, 2nd, 3rd, 4th, and 5th play symbols in the 1st row and 5th row, the 2nd play symbol in the 4th column, the "FREE" play symbol, and the 4th play symbol in the 2nd column, forming a "Z" pattern as illustrated in "Exhibit 13"; or
- n. The 1st, 2nd, 3rd, 4th, and 5th play symbols in the 1st row, the 2nd play symbol in the 4th column, the "FREE" play symbol, the 4th play symbol in the 2nd column, and the 5th play symbol in the 1st column, forming a "7" pattern as illustrated in "Exhibit 14"; or
- o. All of the play symbols in the 1st, 2nd, 3rd, 4th, and 5th rows, and the "FREE" play symbol, creating a "blackout" as illustrated in "Exhibit 15".

D. Ticket ownership and responsibility; prize payment

- 1. Until a ticket is signed, the ticked is owned by its physical possessor.
- When signed, the claimant whose signature appears on the ticket is entitled to the corresponding prize.
- If more than 1 signature appears on the ticket, the Director is authorized to require that 1 or more of those claimants be designated to receive payment.

- A claim form shall be submitted by each claimant who is designated by the Director to receive a portion of the prize claimed from the winning ticket.
- Prior to payment of a prize, a claimant who has signed the ticket may designate another claimant to receive the prize by signing a relinquishment of claim statement.
- Prizes shall be paid by cash or check, according to the provisions of subsection (K).
- 7. All prize levels except the jackpot are fixed amounts, to be specified in the Game Profile. Each game card winning any prize except the jackpot entitles the winner to the prize amount specified in the Game Profile.
- 8. Each jackpot prize winner shall be paid an equal portion of the jackpot prize amount. The jackpot prize amount shall be determined by the number of tickets purchased, the number and amounts of lower prize won, and whether the jackpot amount was won in previous drawings.
- No more than the highest established prize value or values shall be paid on each card.
- Prizes shall be paid by cash or check, according to the provisions in subsection (G).
- 11. The Lottery is not responsible for lost or stolen tickets.
- E. Ticket validation requirements
 - 1. To be a ticket eligible to receive a prize, all of the following requirements shall be satisfied:
 - a. The ticket is:
 - i. Issued by the Lottery through a retailer, from a terminal, in an authorized manner;
 - ii. Intact, and is not mutilated or tampered with in any manner:
 - iii. Not defectively printed or produced in error;
 - iv. Not counterfeit, stolen, or voided;
 - Able to pass all other security requirements determined by the Director;
 - vi. Validated in accordance with the provisions of subsections (C) and (D).
 - b. The ticket data is:
 - i. Recorded in the on-line contractor's central computer system prior to the drawing;
 - ii. In agreement with the computer record:
 - In the Lottery's official file of winning tickets, and has not been previously paid.
 - c. Any winning game play on the ticket is separately lettered and consists of a selected set of numbers from the defined game matrix.
 - If a ticket fails to pass any of the requirements in subsection (E)(1), the ticket is void and ineligible for any prize payment.
- F. Disputes concerning a ticket.
 - If a dispute between the Lottery and a claimant occurs concerning a ticket, the Director is authorized to replace the disputed ticket with a ticket of equivalent sales price from any subsequent drawing of the same game.
 - Replacement of the disputed ticket is the sole and exclusive remedy for a claimant.
- G. Procedure for claiming prizes.
 - To claim a prize of up to an including \$599.00, the claimant shall present the signed ticket to any participating online retailer. The retailer shall pay the claimant provided that:
 - All of the ticket validation criteria in subsection (E) have been satisfied;
 - b. A proper validation ticket, which is an authorization to pay, has been issued by the terminal.
 - To claim a prize that the retailer does not validate or is not authorized to pay, including all prizes \$600 or more,

- the claimant shall submit a claim form, available from any retailer, and the ticket to the Lottery.
- 3. If the claim is:
 - Validated by the Lottery, a check shall be forwarded to the claimant;
 - Denied by the Lottery, the claimant shall be notified within 15 days from the day the claim is received in the Lottery office
- H. The definitions and provisions of R19-3-401 except for those contained in (H), (I), (J), and (K), do not apply to the on-line "BINGO" playstyle.




Exhibit "1": Any horizonal, vertical, or diagonal line




Exhibit "2": Four corners




Exhibit "3": Outer frame

 \mathbf{B}




Exhibit "4": Inner frame

,			
1			·
	FREE		
		4	
	·		

I N G O




Exhibit "5": Four corner box pattern

В	1	N	G.	0.
				40
		FREE	-	,
		19		

Exhibit "8": "C" pattern

В	I	N	G	0
-				,
				, .
		FREE		4
				• ;

Exhibit "6": Diamond pattern




Exhibit "9": "L" pattern




Exhibit 10: "H" pattern




Exhibit 13: "Z" pattern




Exhibit 11: "T" pattern




Exhibit 14: "7" pattern




Exhibit 12: "X" pattern




Exhibit 15: "Blackout"